

VG2248 - 22" 1080P ERGONOMIC 40-DEGREE TILT IPS MONITOR WITH HDMI, DP, AND VGA

## **Key Features**

- 22 Inch Full HD (1920x1080p) IPS monitor with 60Hz refresh rate
- · Advanced ergonomics (40-degree tilt, swivel, rotate and height) for all-day comfort
- · Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- · Easy-to-install quick release stand with carrying handle and client mount
- Eco friendly easy-open box for streamlined monitor setup
- The VG2248 supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort, VGA inputs



Future Proof inputs for flexible connectivity options





**PANEL** 





## Product **Description**

Designed for the modern day office, the ViewSonic® VG2248 monitor delivers an efficient end-to-end enterprise experience. Featuring SuperClear® IPS panel technology and 1080p resolution, this 22" (21.5" viewable) monitor delivers crisp and clear images from nearly any viewing angle. For enhanced productivity, an advanced ergonomic design offers a wide range of customizable adjustments for maximum comfort including pivot, swivel, height adjustment, and tilt. With the ability to tilt an impressive 40-degrees, the VG2248 is ideal for users who prefer to work while standing up, as well as for those who like to use their screen for group discussions. Versatile connectivity options include HDMI, DisplayPort, VGA, and USB. This monitor is also shipped in eco-friendly biodegradable packaging, along with an easy-to-install quick release stand that makes for simple out-of-the box setup. The quick release stand also includes an integrated client mount and cable management features, making this monitor perfect for deployment in cloud-based environments.

## Specifications

More Information	
UPC	766907000740
Screen Size	22
Viewable Area (in.)	21.5
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	WLED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bits
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	7ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type A	4
USB Type B	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	14.1W
Eco Mode (optimized)	16.3W
Consumption (typical)	19.6W
Consumption (max)	55.4W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No

**Kensington Lock Slot Physical Controls** 1,2,3,4,5,Power Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image On Screen Display Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality) **Temperature** 32-104º F (0 - 40º C) **Humidity (non-condensing)** 20-90% **VESA Compatible** 100 x 100 mm **Frequency Horizontal** 24 ~ 82KHz **Frequency Vertical** 50 ~ 75Hz TMDS for HDMI, PCI-E for DisplayPort **Digital Sync Height Adjust** 130 mm / 5.1 in Swivel 120⁰ Pivot (Right/Left) 90º / 90º 40º / 5º Tilt (Forward/Back) Net (lbs) 11.9 Net Without Stand (lbs) 6.5 Gross (lbs) 17.4 Net (kg) 5.4 Net Without Stand (kg) 2.9 Gross (kg) 7.9 22.4 x 8.3 x 15.0 Packaging (in.) Physical (in.) 19.6 x 14.7 x 8.0 Physical Without Stand (in.) 19.6 x 11.7 x 2.0 Packaging (mm) 570.0 x 210.0 x 380.0 Physical (mm) 498.5 x 372.7 x 202.2 Physical Without Stand (mm) 498.5 x 296.9 x 50.0 Regulations cTUVus, FCC-B, ICES003, Energy Star Certified, EPEAT Certified, TUV Mexico CoC, Mexico Energy **Package Contents** VG2248 Display, Power Cable, DP to DP Cable, USB 3.0 Upstream Cable, Quick Start Guide Please dispose of in accordance with local, state or federal laws. Recycle/Disposal Warranty Three-year limited warranty on parts, labor and backlight

UPC: 766907000740







Contact Sales ViewSonic.com 888.881.8781 email: salesinfo@viewsonic.com