


VA2747-MH - 27" 1080P 100HZ MONITOR WITH FREESYNC, HDMI AND VGA

Key Features


- 27 Inch Full HD (1920x1080p) LED monitor with thin bezels and 100Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- AMD FreeSync technology enables fluid and tear-free gameplay
- Optimized view settings offer “Game,” “Movie,” “Web,” “Text,” and “Mono” presets
- The VA2747-MH supports laptops, PCs, Macs and more with HDMI and VGA inputs




Full HD (1920x1080p) Resolution




27
DISPLAY



MVA
PANEL



1920x1080@100Hz
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2747-MH delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2747-MH delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2747-MH features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry’s best pixel performance policies, makes the VA2747-MH a great overall value choice.

Specifications

UPC	766907010961
Screen Size	27
Viewable Area (in.)	27
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
Refresh Rate	100Hz
PC Resolution (max)	1920x1080@100Hz
Mac® Resolution (max)	1920x1080@100Hz
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2W (x2)
Consumption (typical)	26W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4): 24 ~ 86 KHz

Frequency Vertical	HDMI (v1.4): 48 ~ 75 Hz
Net (lbs)	9.3
Net Without Stand (lbs)	8.2
Gross (lbs)	20.7
Net (kg)	4.2
Net Without Stand (kg)	3.7
Gross (kg)	9.4
Packaging (in.)	26.8 x 18.1 x 5.9
Physical (in.)	24.2 x 17.8 x 9.1
Physical Without Stand (in.)	24.2 x 14.5 x 1.9
Packaging (mm)	680.0 x 459.0 x 151.0
Physical (mm)	614.0 x 453.0 x 232.0
Physical Without Stand (mm)	614.0 x 368.0 x 47.0
Regulations	cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy, CB, RoHS
Package Contents	VA2747-MH, 3-pin Plug (IEC C13 / CEE22), HDMI Cable (v1.4; Male-Male), Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907010961



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com