

IFP6532

## Key Features

---


- 20-point Multi-touch Interactive Screen
- Built-in Stereo Speaker
- myViewBoard Manager
- myViewBoard™ Digital Whiteboarding Solution
- ViewBoard Cast



65  
DISPLAY



PANEL



RESOLUTION



## Product Description

---

The ViewSonic® ViewBoard® IFP6532 is a 65" interactive flat panel display with digital whiteboard technologies for immersive learning in any classroom environment. With a high-accuracy touchscreen, the IFP6532 delivers an intuitive digital whiteboard experience for everyone from the youngest of students to the most experienced teachers. Featuring 4K Ultra HD resolution and a powerful 10W stereo speaker, this ViewBoard display delivers optimal images and sound for everyone in the classroom as well those learning remotely. With the integrated myViewBoard™ software ecosystem, this ViewBoard display enables teachers to access legacy files from the cloud, as well as build new interactive lessons. IT directors will be confident managing files from a secure cloud network, while curriculum directors will be pleased knowing that this software easily integrates with online resources.


## Specifications

---

<b>UPC</b>	766907010381
<b>OS</b>	ViewBoard OS based on Android 9.0
<b>GPU</b>	ARM Mali-G31
<b>CPU</b>	Amlogic T972 quad-core Cortex-A55, 12nm
<b>Memory</b>	4GB DDR4
<b>Storage</b>	32GB eMMC
<b>Internal Speakers</b>	10W (x2)
<b>HDMI 2.0 In</b>	2
<b>VGA</b>	1
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>USB 2.0</b>	4
<b>USB 2.0 Type B</b>	1
<b>OPS PC Slot</b>	1
<b>RS232</b>	1
<b>WIFI Module Slot</b>	1
<b>Intel® OPS Slot In (80-pin)</b>	1
<b>Voltage</b>	164-264V
<b>Consumption (typical)</b>	175W
<b>Stand-by</b>	<0.5W
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	10-90%
<b>Touch Technology</b>	Infrared
<b>Touch Points</b>	Windows: 20, Android: 20
<b>Tip Detection</b>	Dual tips, 3mm and 9mm
<b>Net (lbs)</b>	84.4
<b>Gross (lbs)</b>	101.4
<b>Net (kg)</b>	38.3
<b>Gross (kg)</b>	46
<b>Packaging (in.)</b>	64 x 8.2 x 39.5
<b>Physical (in.)</b>	58.6 x 35.3 x 3.4
<b>Packaging (mm)</b>	1628 x 208 x 1005
<b>Physical (mm)</b>	1489 x 897 x 87
<b>VESA Compatible</b>	600 x 400 mm
<b>Screw Size</b>	M8
<b>Ethernet LAN</b>	(10/100/1000M) (Android & PC)

<b>Wifi</b>	Optional VB-WIFI-002 adapter, 802.11AC + Bluetooth 5.0
<b>Screen Size</b>	65
<b>Viewable Area (in.)</b>	64.5
<b>Light Source</b>	LED
<b>Display Resolution</b>	3840 x 2160
<b>Refresh Rate</b>	60Hz
<b>Aspect Ratio</b>	16:9
<b>Dynamic Contrast Ratio</b>	4,000:1
<b>Backlight Life (Hours)</b>	30,000
<b>Brightness</b>	350 cd/m2
<b>Response Time (Typical GTG)</b>	6.5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%

UPC: 766907010381



**Contact Sales**

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 ☎

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)