


X2-4K - 4K HDR DESIGNED FOR XBOX GAMING PROJECTOR - HIGH BRIGHTNESS, SHORT THROW, LED, SMART HOME, MOVIE THEATER

Key Features


- Engineered for the Xbox
- Stunning Xbox-Native Resolution
- Xbox Control
- Ultra-Fast Refresh Rate
- Portable Entertainment
- True 4K Ultra HD Resolution




60 - 120 in. / 1.5 - 3.0 m
DISPLAY



PANEL



3840 x 2160
RESOLUTION



Product Description

The ViewSonic® X2-4K LED Projector is the world's first projector designed for Xbox consoles.

Featuring image sizes up to an enormous 120", this projector delivers immersive entertainment on the largest Xbox gaming display available today.

The X2-4K projector supports up to 4K Ultra HD resolution and refresh rates up to 240Hz.

Harman Kardon speakers elevate audio soundtracks and help bring a breathtaking aural experience directly to your living room.

After undergoing a highly rigorous testing process, the X2-4K was designated by Microsoft as the world's first "Designed for Xbox" projector.

Play better and watch bigger with the X2-4K Xbox projector today.

Resolution	Refresh Rate
-------------------	---------------------

1080p	240Hz
1440p	120Hz
4K	60Hz

Specifications

	More Information
UPC	766907019551
Light Source	LED
Display Resolution	4K (3840x2160)
Display Resolution	3840 x 2160
Brightness (Lumens)	2,000 ANSI
Screen Size	60 - 120 in. / 1.5 - 3.0 m
Throw Distance	3 - 7 ft (100" @ 5 ft)
Throw Ratio	0.69-0.83
Keystone	Vertical (+/- 40°) / Horizontal (+/- 40°)
Lens	1.2x optical zoom
Light Source (watt)	RGB LED
Light Source Life, Normal (hours)	60,000
Color Depth	1.07 Billion Colors
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:9
Input Lag	4.2ms
Frequency Horizontal	15K~135KHz
Frequency Vertical	23-240Hz
PC Resolution (max)	3840 x 2160
PC Resolution (min)	640 x 480
Mac® Resolution (max)	3840 x 2160
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
USB Type C	1
3.5mm Audio Out	1
Control (RS232)	1
HDMI 1.4 In	1
HDMI 2.0 In	1
Wifi	5Gn

Bluetooth Audio-in	1 (BT4.2)
Bluetooth Audio-out	1 (BT4.2)
Internal Speakers	6W (x2)
Voltage	100-240V+/- 10%, 50/60Hz AC
Consumption (typical)	236W
Stand-by	<0.5W
Physical Controls	Keypad, Power key
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Kensington Lock Slot	1
Net (lbs)	7.9
Gross (lbs)	12.1
Net (kg)	3.6
Gross (kg)	5.5
Packaging (in.)	19.3 x 14.8 x 12.3
Physical (in.)	13.9 x 9.9 x 4.8
Packaging (mm)	490 x 376 x 313
Physical (mm)	355 x 251 x 121
Regulations	cTUVus
Package Contents	X2-4K projector, power cable, remote control, Quick Start Guide
Warranty	Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).

UPC: 766907019551



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com