



XG3202-C

Key Features


- 1800R Curve



32
DISPLAY



MVA
PANEL



RESOLUTION



Product Description

The ViewSonic® XG3202-C is a 32" (31.5" viewable) 144Hz gaming monitor, featuring 1800R curvature to deliver wide field of view and smooth image performance. Compatible with Free-Sync Technology, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for unbelievably fluid gameplay during fast-paced action sequences. This monitor features a 1080p SuperClear® VA panel for enhanced color accuracy and greater viewing angles. Low input lag provides smooth screen performance even in the most graphic-intense sequences. For a game-winning competitive edge, a Game Mode feature optimizes visuals for FPS, RTS and MOBA, let you enjoy better color performance of the game play.

Specifications

More Information

| | |
|------------------------|---------------------|
| UPC | 766907853216 |
| Screen Size | 32 |
| Viewable Area (in.) | 31.5 |
| Panel Type | MVA |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 3,000:1 |
| Dynamic Contrast Ratio | 120,000,000:1 |
| Light Source | LED |

| | |
|------------------------------------|---|
| Brightness | 300 cd/m2 |
| Colors | 16.7M |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 6ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-glare, Hard coating (3H) |
| Curvature | 1800R |
| Refresh Rate | 144Hz |
| Adaptive Sync | AMD FreeSync™ |
| Flicker-Free | Yes |
| Blue Light Filter | Yes |
| USB 2.0 Type A | 1 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| VGA | 1 |
| HDMI 1.4 In | 1 |
| DisplayPort | 1 |
| DVI-I | 1 |
| Eco Mode (Conserve) | 32W |
| Eco Mode (optimized) | 38W |
| Consumption (typical) | 45W |
| Consumption (max) | 55W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Cable Organization | No |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | HDMI: 15 ~ 140KHz, DisplayPort: 15 ~ 160KHz |
| Frequency Vertical | HDMI: 24 ~ 138Hz, DisplayPort: 50 ~ 145Hz |
| Tilt (Forward/Back) | 5° / 13° |
| Net (lbs) | 17.9 |
| Net Without Stand (lbs) | 16.0 |
| Gross (lbs) | 25.8 |
| Net (kg) | 8.1 |
| Net Without Stand (kg) | 7.3 |

| | |
|-------------------------------------|--|
| Gross (kg) | 11.7 |
| Packaging (in.) | 33.0 x 23.7 x 11.1 |
| Physical (in.) | 28.4 x 19.5 x 9.1 |
| Physical Without Stand (in.) | 28.4 x 17.0 x 3.7 |
| Packaging (mm) | 837.0 x 602.0 x 282.0 |
| Physical (mm) | 721.2 x 495.2 x 230.4 |
| Physical Without Stand (mm) | 721.2 x 432.7 x 95.0 |
| Regulations | CE EMC, CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, WEEE, EAC, BSMI, RCM, MEPS, KC, e- Standby, CCC, China RoHS, CEL |
| Package Contents | XG3202-C Display, Power Cable, DL-DVI Cable, Audio Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |

UPC: 766907853216



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com