

IFP8650-E1 - 86" 4K TOUCH ENABLED VIEWBOARD SMART DISPLAY WITH WIFI ADAPTER AND FIXED WALL MOUNT

Key Features


- ULTRA HD RESOLUTION: 86 Inch 4K Ultra HD (3840x2160p) interactive display
- ADVANCED TOUCH: 40-point multi-touch lets users write on the display with their fingers and stylus pens
- INTEGRATED SOFTWARE: The myViewBoard suite includes Whiteboard, ViewBoard Cast, and more for better engagement
- BETTER SOUND: Built-in 40W stereo soundbar delivers optimal sound
- FLEXIBLE CONNECTIVITY: Powerful quad-core processor and versatile connectivity options with 65W PD USB-C (HDMI, RJ45, and USB ports)
- EVERYTHING TO GET STARTED: This bundle includes the interactive display, wireless AC adapter and wall mount
- REMOTE MANAGEMENT: Schedule updates and monitor device status with the built-in myViewBoard® Manager software
- PEACE OF MIND: Industry-leading 3-year standard warranty with optional extensions and robust support services












PANEL



RESOLUTION



Product **Description**

Ideal for education environments, this all-in-one ViewBoard Bundle includes a 86" ViewBoard IFP8650 4K interactive flat panel, a wireless AC adapter, and a WMK-047-2 wall mount.

Specifications

More Information

os	ViewBoard OS (embedded Android 8)
GPU	ARM Mali450 MP4
CPU	ARM Dual Core Cortex A53
CPU Processor Speed	1.2GHz
Memory	2GB
Storage	16GB
Built-in Software	myViewBoard, Chromium browser, Zoom, ViewBoard Cast
Internal Speakers	12W (x2)
Subwoofer	16W (x1)
HDMI 2.0 In	3
HDMI Out	1
3.5mm Audio Out	1
SPDIF Audio Out	1
USB 3.0	4
USB 2.0	2
USB Type C	1
Slot-in PC Slot	1
USB B Touch Port	2
RS232	1
Ethernet LAN (RJ45)	2
WIFI Module Slot	1
Intel® OPS Slot In (80-pin)	1
Voltage	100-240 VAC
Consumption (typical)	175W
Stand-by	<0.5W
On Screen Display	Input, Volume, Backlight, Audio, Screen, Display, Adjust
Remote Control	Volume, Channel, Source, Mute, Back, Input, Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	10-90%
Touch Technology	Infrared
Touch Points	Windows: 20, Android: 20
Tip Detection	Dual tips, 3mm and 8mm
Net (lbs)	186.1
Gross (lbs)	247.1
Net (kg)	84.4
Gross (kg)	112.1

75.3 x 48.2 x 13.6 Packaging (in.) Physical (in.) 69.4 x 41.0 x 5.7 Packaging (mm) 2211.0 x 1380.0 x 645.0 1988.0 x 1186.0 x 146.0 Physical (mm) **VESA Compatible** 800 x 600 mm 3-year limited warranty on parts, labor and backlight, onsite warranty Warranty Recycle/Disposal Please dispose of in accordance with local, state or federal laws. IFP8650 Display, wireless AC adapter, WMK-047-2, stylus pen x 2, power cable, remote control with batteries, **Package Contents** ViewSonic Wizard CD (User Guide), Quick Start Guide, USB cable, camera bracket, HDMI cable, power cords cTUVus, FCC, ENERGY STAR 7.0, Mexico Energy, CE, CB, RoHS, ErP, WEEE Regulations (10/100/1000M) (Android 10/100, PC 10/100/1000) **Ethernet LAN Display Type** LCD 86 **Screen Size** Viewable Area (in.) 86 **Light Source** LED 3840 x 2160 **Display Resolution** 16:9 **Aspect Ratio Static Contrast Ratio** 1,200:1 350 cd/m2 **Brightness** Response Time (Typical GTG) 8ms **Viewing Angles** 178º horizontal, 178º vertical **Panel Surface** Anti-glare 7H tempered glass

UPC: 766907002584







Contact Sales ViewSonic.com

888.881.8781 email: salesinfo@viewsonic.com