




## VP3481A - 34" COLORPRO™ 21:9 CURVED UWQHD MONITOR WITH 100HZ, FREESYNC, 90W USB C, RJ45 AND SRGB

### Key Features

---


- 34 Inch ultrawide 21:9 UWQHD+ (3440x1440p) 1800R curved monitor with MVA, thin bezels and HDR10
- Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 90W charging over one cable
- FreeSync with 100Hz refresh rate for smooth, tear-free playback ideal for video editors and game developers
- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- 100% sRGB, EBU, SMPTE-C, Rec. 709, and DICOM-SIM color spaces and Delta E<2 accuracy
- Hardware calibrated to ensure that the color displayed perfectly matches the original file
- The VP3481a supports laptops, PCs, Macs and more with USB-C, HDMI, USB and DisplayPort inputs



34  
DISPLAY



MVA  
PANEL



3440 x 1440  
RESOLUTION



### Product Description

---

With an immersive curved screen and stunning WQHD+ 3440x1440 resolution, the ViewSonic VP3481a monitor elevates your viewing experience from flat to panoramic. Delivering incredible detail and vivid colors across wide viewing angles, this monitor is engineered to provide precise color accuracy, while HDR10 compatibility delivers a wider dynamic range of vivid colors and richer contrast. Thanks to an expansive 34" frameless screen, ultra-wide 21:9 aspect ratio, and integrated speakers, this monitor is ideal for video editing, content development, and other color-critical applications. Featuring an incredible 100Hz refresh rate and AMD FreeSync™ technology, this monitor delivers smooth, tear-free playback ideal for video editors and game developers. With a sleek and modern design, the VP3481a features a future-proof USB Type-C port with 90W charging, as well as DisplayPort technology, and HDMI. What's more, HDCP 2.2 content protection is standard across all ports to provide secure 4K content playback, streaming and gaming. The VP3481a provides an amazing Delta E<2 value and 99%\* sRGB color accuracy for incredible and precise color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Hardware calibration is also available with the optional ViewSonic Colorbration Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, and other professional applications.

# Specifications

	More Information
<b>UPC</b>	766907009569
<b>Screen Size</b>	34
<b>Viewable Area (in.)</b>	34
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	3440 x 1440
<b>Display Resolution</b>	WQHD (3440x1440)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	400 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bits
<b>Aspect Ratio</b>	21:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>Curvature</b>	1800R
<b>PC Resolution (max)</b>	3440 x 1440
<b>Mac® Resolution (max)</b>	3440 x 1440
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>USB Type C</b>	90W x 1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 2.0 In</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	5W (x2)
<b>Eco Mode (Conserve)</b>	53.5W
<b>Eco Mode (optimized)</b>	62.5W
<b>Consumption (typical)</b>	74.5W
<b>Consumption (max)</b>	79.5W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W

<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (Power)
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 135 KHz
<b>Frequency Vertical</b>	24 ~ 100 Hz
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	60°
<b>Tilt (Forward/Back)</b>	6° / 21°
<b>Net (lbs)</b>	26.7
<b>Net Without Stand (lbs)</b>	16.2
<b>Gross (lbs)</b>	37.9
<b>Net (kg)</b>	12.1
<b>Net Without Stand (kg)</b>	7.4
<b>Gross (kg)</b>	17.2
<b>Packaging (in.)</b>	38.0 x 14.6 x 23.2
<b>Physical (in.)</b>	31.9 x 18.9 x 11.8
<b>Physical Without Stand (in.)</b>	31.9 x 14.4 x 4.1
<b>Packaging (mm)</b>	965.0 x 370.0 x 590.0
<b>Physical (mm)</b>	809.0 x 480.0 x 299.0
<b>Physical Without Stand (mm)</b>	809.0 x 366.0 x 105.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
<b>Package Contents</b>	VP3481a Display, Power cable, HDMI cable, DP to DP cable, USB Type C cable, USB Type B Uplink cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907009569



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)