


VG2440V-S


Key Features

REFURBISHED


- Built for Video Conferencing
- Adjustability and Privacy
- Full HD 1080p resolution
- Ergonomic Design
- Compatible with Multiple Operating Systems
- Versatile Connectivity



24
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description

Featuring a built-in 2MP camera, the ViewSonic® VG2440V monitor is perfect for collaboration and video conferencing right from your desktop. The integrated camera captures high-definition video and features 5-degree adjustability so you can find the perfect angle for your video conference. The camera also features a privacy shutter that ensures the camera is on only when you want it to be on. An integrated microphone and speakers round out the full video conferencing capabilities of this monitor. The 24" (23.8" viewable) monitor itself features a Full HD SuperClear® IPS panel for vivid visuals, and a full ergonomic stand for comfort and productivity. Integrated HDMI, DisplayPort and VGA ports make it easy to connect whether you are set up at home or at the office.

Specifications

UPC	766907012996
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Panel Surface	Anti-glare, Hard coating (3H)
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type A	3
USB Type B	1
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	10.3W
Eco Mode (optimized)	11.7W
Consumption (typical)	13.7W
Consumption (max)	16.5W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Webcam	2MP

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	15 ~ 90 KHz
Frequency Vertical	49 ~ 75 Hz
Digital Sync	TMDS for HDMI (v1.4), PCI-E for DisplayPort
Height Adjust	130 mm / 5.1 in
Swivel	60°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 40°
Net (lbs)	13.3
Net Without Stand (lbs)	7.9
Gross (lbs)	19.2
Net (kg)	6.0
Net Without Stand (kg)	3.6
Gross (kg)	8.7
Packaging (in.)	24.0 x 15.9 x 8.3
Physical (in.)	21.6 x 16.0~21.1 x 8.1
Physical Without Stand (in.)	21.6 x 13.8 x 2.0
Packaging (mm)	609.0 x 405.0 x 210.0
Physical (mm)	549.0 x 407.0~537.0 x 206.0
Physical Without Stand (mm)	549.0 x 352.0 x 50.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star Certified, EPEAT Certified, MX-CoC, Mexico Energy
Package Contents	VG2440V, Power Cable, HDMI Cable, USB Type B Uplink Cable, 3.5mm Audio Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Classification	Refurbished

UPC: 766907012996



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com