



## VX2776-SMHD - 27" 1080P THIN-BEZEL IPS MONITOR WITH HDMI, DISPLAYPORT, AND VGA


### Key Features

---

- 27 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized view settings offers "Game," "Movie," "Web," "Text," and "Mono" presets
- The VX2776-SMHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs
- This monitor is not VESA compatible




What's in the box.



**27  
DISPLAY**



**IPS  
PANEL**



**Up to 1920x1080 non-interlaced  
RESOLUTION**



\*Power Cable varies by region



### Product Description

---

The ViewSonic® VX2776-smhd is a sleek 27" Full HD monitor with a modern and minimalist style perfect for home use. With SuperClear® IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. A premium ID includes an ultra-slim profile, unique desktop stand, and a sleek edge-to-edge frameless design, that when combined with vivid 1920x1080 resolution and dual speakers, deliver an immersive viewing experience for home entertainment and multimedia applications. HDMI, DisplayPort, and VGA inputs offer flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode™ feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment that combines style and high performance for the home.

# Specifications

	More Information
UPC	766907835724
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	7ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, hard-coating (3H)
PC Resolution (max)	Up to 1920x1080 non-interlaced
Mac® Resolution (max)	Up to 1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
HDMI In	1
VGA	1
DisplayPort	1
Internal Speakers	3-watt (x2)
Eco Mode (Conserve)	17W
Eco Mode (optimized)	20W
Consumption (typical)	24W
Consumption (max)	32W
Voltage	AC 100-240V (universal), 50-60Hz
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	GameMode, 1, 2, 3, 4, Power
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)

<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	24~82kHz
<b>Frequency Vertical</b>	50~75Hz
<b>Analog Sync</b>	Separate Sync, Composite Sync, Sync on Green, TMD5, PCI-E
<b>Tilt (Forward/Back)</b>	5° / 17°
<b>Net (lbs)</b>	8.2
<b>Gross (lbs)</b>	12.1
<b>Net (kg)</b>	3.7
<b>Gross (kg)</b>	5.5
<b>Packaging (in.)</b>	27.0 x 17.7 x 4.5
<b>Physical (in.)</b>	24.5 x 18.2 x 8.2
<b>Packaging (mm)</b>	685 x 450 x 115
<b>Physical (mm)</b>	621 x 462.6 x 209
<b>Regulations</b>	cULus, FCC-B, ICES-003, EPEAT, Energy Star 7.0, NRCan, UL-MXCoC, Mexico Energy, CE, WEEE, EEL, EAC
<b>Package Contents</b>	VX2776-smhd monitor, Power cable, AC/DC adapter, Audio cable, VGA cable, HDMI cable, Quick Start Guide, ViewSonic Wizard CD
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907835724



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)