


EP5542 - 55" DISPLAY, 3840 X 2160 RESOLUTION, 400 CD/M2 BRIGHTNESS, 16/7

## Key Features

---


- Ultra HD Resolution
- Embedded SoC Platform
- Free-standing Design
- Optional Content Management Software
- Anti-Scratch, Anti-Glare Glass Faceplate



55  
DISPLAY



MVA  
PANEL



RESOLUTION



## Product Description

---

The ViewSonic® EP5542 is a 55" 4K Ultra HD all-in-one free-standing digital ePoster kiosk with a sleek, slim design. Great for grabbing attention in busy, high-traffic areas, the EP5542 comes with a scratch-proof tempered glass faceplate for added durability. Featuring an IPS-type panel, 4K Ultra HD resolution, 178°/178° wide-angle viewing, 400-nit brightness, 1,300:1 contrast ratio, and dual 10W stereo speakers, the EP5542 delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the embedded Quad-core media player and 16GB of internal memory, or add your own media player using the convenient media player cradle inside the lockable security door.

## Specifications

---

More Information

UPC

766907006896

<b>Screen Size</b>	55
<b>Viewable Area (in.)</b>	55
<b>Display Resolution</b>	3840 x 2160
<b>Light Source</b>	DLED
<b>Orientation</b>	Portrait
<b>Static Contrast Ratio</b>	1,300:1
<b>Brightness</b>	400 cd/m2
<b>Colors</b>	1.07B
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Response Time (Typical GTG)</b>	9ms
<b>Panel Surface</b>	Anti-Glare 3H, Haze = 2%, 7H / 4mm Tempered glass
<b>Panel Type</b>	MVA
<b>Aspect Ratio</b>	16:9
<b>Operation Rating</b>	16/7
<b>Internal Speakers</b>	10-watt (x2)
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>HDMI 2.0 (with HDCP 2.2)</b>	3
<b>DisplayPort</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>VGA</b>	1
<b>RS232 In</b>	1
<b>USB 2.0 Type A</b>	3
<b>CPU</b>	Multi-CPU (ARM Cortex A73 x 2 + Cortex A53 x 2)
<b>GPU</b>	G51MP2
<b>Operating System</b>	Android™ 8.0
<b>RAM</b>	2GB
<b>Memory Type</b>	DDR4
<b>Storage Capacity</b>	16GB
<b>Storage Type</b>	eMMC
<b>Voltage</b>	100-240 VAC +/- 10% Wide Range, 50-60Hz +/-3 Hz
<b>Consumption (max)</b>	149W
<b>Consumption (typical)</b>	126W
<b>Stand-by</b>	<0.5W
<b>Temperature</b>	32-104° F (0 - 40° C)

<b>Humidity (non-condensing)</b>	10-85%
<b>Gross (lbs)</b>	164.7
<b>Net (lbs)</b>	138.2
<b>Gross (kg)</b>	74.7
<b>Net (kg)</b>	62.7
<b>Packaging (in.)</b>	38.2 x 80.1 x 24.0
<b>Physical (in.)</b>	30.3 x 73.6 x 17.7
<b>Packaging (mm)</b>	970.0 x 2034.0 x 609.0
<b>Physical (mm)</b>	768.5 x 1870.0 x 400.0
<b>Regulations</b>	cTUVus, FCC, Energy Star, CE, CB, RoHS, ErP, EEI, WEEE, BSMI
<b>Package Contents</b>	EP5542 Multimedia Digital Poster, Remote Control with batteries, Quick Start Guide, Power Cable
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	One-year limited warranty on parts, labor and backlight

UPC: 766907006896



**Contact Sales**

[ViewSonic.com](http://ViewSonic.com)

888.881.8781 📞

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)