

VG2439M-TAA

Key Features

- Up to 50% power savings over a traditional CCFL 22" monitor
- 1080p Full HD resolution with 16:9 aspect ratio for perfect image reproduction
- Connectivity options DisplayPort, DVI with HDCP, VGA inputs, and a dual port USB hub
- Multimedia enriched with integrated stereo speakers
- 100mm x 100mm VESA compliant for wall mount or monitor stands
- Compliant with the Trade Agreement Act (TAA)
- Industry-leading pixel performance guarantee and 3-year limited warranty



24
DISPLAY



TFT
PANEL



1920x1080
RESOLUTION



Product Description

Ideal for government, educational, and corporate environments, the ViewSonic VG2439m-TAA widescreen monitor is a trade (TAA) compliant display that supports GSA Schedule needs within the Federal Government. The VG2439m-TAA provides native full HD 1920x1080 resolution, and 20,000,000:1 MEGA dynamic contrast ratio for stunning display quality. The VG2439m-TAA also offers the latest in DisplayPort technology for easy data transfer of high-definition video and audio. Other connectivity options include DVI and VGA inputs, a two-port USB hub for peripheral support, and a hidden stereo speaker to complete the multimedia package. Additional features include a matte finish slim bezel design with full ergonomic functions, including 90-degree pivot, height adjust, swivel, and tilt for maximum screen viewing. You can put it on your desk or mount on your wall or on any VESA-compliant monitor stand. In addition to all these impressive features, the VG2439m-TAA also provides for super low TCO, with ENERGY STAR and EPEAT Gold certifications, and up to 50%* power consumption savings over traditional CCFL displays.

Specifications

	More Information
Replacement SKU	VG2439SMH
Screen Size	24
Panel Type	TFT
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Brightness	300 cd/m2
Response Time (Typical GTG)	5ms
Viewing Angles	170° horizontal, 160° vertical
Backlight Life (Hours)	30,000
Panel Surface	3H Anti-glare, hard-coating
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio In	1
VGA	1
DVI-D	1
Internal Speakers	2-watt (x2)
Eco Mode (Conserve)	15.5W
Eco Mode (optimized)	19W
Consumption (typical)	24W
Voltage	AC 100-240V (universal), +/-10% Wide Range
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Power, 1, down, up, 2
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select (D-SUB, DVI), DisplayPort, Audio adjust (Volume Mute), Audio Input, Color Adjust (sRGB, 9300K, 7500K, 6500K, 5000K, User Color [R, G, B]), Information, Manual Image Adjust (H/V Position, Horizont
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	10-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	24 ~ 82 kHz
Frequency Vertical	50 ~ 75 Hz
Analog Sync	H/V separated (TTL)
Height Adjust	135 mm / 5.3 in
Swivel	360°

Pivot (Right/Left)	90° / 0°
Tilt (Forward/Back)	5° / 20°
Net (lbs)	11.4
Net Without Stand (lbs)	8.2
Gross (lbs)	15.6
Net (kg)	5.2
Net Without Stand (kg)	3.7
Gross (kg)	7.1
Packaging (in.)	25 x 20 x 7.5
Physical (in.)	22.1 x 17.1 x 9.4
Physical Without Stand (in.)	22.1 x 13.1 x 2.3
Packaging (mm)	634 x 508 x 190
Physical (mm)	560.3 x 435.2 x 239.6
Physical Without Stand (mm)	560.3 x 332.7 x 58.2
Regulations	UL/cUL, FCC-B, ENERGY STAR®, EPEAT(Gold), Mexico Energy, NOM, WEEE, RoHS, CE, CB
Package Contents	VG2439m LED Display, Power Cable, VGA Video Cable, DVI Cable, Audio Cable, USB Cable, ViewSonic Wizard CD-ROM, Quick Start Guide
Power Management	ENERGY STAR® standards, EPEAT Gold
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
Classification	Discontinued



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com