

## VG2448\_H2 - 24" DUAL PACK HEAD-ONLY 1080P IPS MONITORS WITH HDMI, DP, AND VGA

### Key Features


---

- 24 Inch Full HD (1920x1080p) IPS monitors with 60Hz refresh rate
- Sold as a dual pack without monitor stands for easy dual-screen installation
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Eco friendly easy-open box for streamlined monitor setup
- The VG2448\_H2 supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort, VGA inputs



---

What's in the box.



**24 DISPLAY**

**IPS PANEL**

**1920x1080 RESOLUTION**

**VG2448\_H2 Monitors**

**What's in the box.**

- Power Cable\*
- DP to DisplayPort
- HDMI Cable
- USB 3.0
- QuickStart Guide

\*Power Cable varies by region.

### Product Description

---

Designed for the modern day office, the ViewSonic® VG2448\_H2 dual monitor pack delivers an efficient end-to-end enterprise experience. From easy installation, to recycling, to long-term reliability, this dual monitor solution reduces the total cost of ownership beyond the initial purchase price. Sold as a dual pack of monitors without monitor stands, the VG2448\_H2 ships in biodegradable packaging to minimize recycling costs and waste. Standard VESA-compatible mounting offers easy dual-screen installation. SuperClear® IPS panel technology delivers wide-angle viewing and incredibly vivid colors. A variety of input options include VGA, HDMI, DisplayPort and USB to deliver both legacy and future-proof connectivity.

### Specifications

---


<b>UPC</b>	766907001853
<b>Screen Size</b>	24
<b>Viewable Area (in.)</b>	23.8
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	WLED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	6 bits
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating 3H
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB Type A</b>	4
<b>USB Type B</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	14.6W
<b>Eco Mode (optimized)</b>	17.4W
<b>Consumption (typical)</b>	25W
<b>Consumption (max)</b>	57W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5, Power

<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24 ~ 82KHz
<b>Frequency Vertical</b>	50 ~ 75Hz
<b>Digital Sync</b>	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2)
<b>Net (lbs)</b>	15.2
<b>Gross (lbs)</b>	21.8
<b>Net (kg)</b>	6.9
<b>Gross (kg)</b>	9.9
<b>Packaging (in.)</b>	26.0 x 16.4 x 9.8
<b>Physical Without Stand (in.)</b>	21.7 x 12.8 x 2.0
<b>Packaging (mm)</b>	660.0 x 417.0 x 250.0
<b>Physical Without Stand (mm)</b>	549.4 x 325.6 x 50.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star Certified, EPEAT Certified, MX-CoC, Mexico Energy
<b>Package Contents</b>	LCD Display x2, Power Cable x2, DP to DP Cable x1, HDMI Cable x1, USB3.0 Upstream Cable x2, Quick Start Guide x1
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907001853



Full HD (1920x1080p) Resolution



Future Proof inputs for flexible connectivity options



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)