





## M1MINIPLUS - ULTRA PORTABLE LED PROJECTOR WITH JBL BLUETOOTH SPEAKER, WI-FI, HDMI AND USB C

### Key Features


- Ultra-portable Design
- Cinema SuperColor+
- Customizable Cool
- Plug-and-Play
- Versatile Smart Stand
- JBL Audio with Bluetooth
- Built-in battery with Power Bank Compatibility



24 - 100 in. / 0.6 - 2.54 m  
**DISPLAY**



**PANEL**



1920 x 1080  
**RESOLUTION**



### Product Description

The ViewSonic M1 mini Plus is a pocket-sized ultra-portable LED projector that delivers big-screen entertainment in nearly any location. Featuring a built-in battery with power bank compatibility, the M1 mini Plus delivers true portability and hours of entertainment without the need of a power cord. Lightweight and measuring only 4" x 4", this tiny projector can be placed in your purse, backpack, or back pocket, making it perfect for entertainment on the go. The M1 mini Plus also includes swappable panels in three different colors - gray, yellow, and teal - so you can change the look of the projector to suit your style. An integrated smart stand provides for flexible setup, while also doubling as a lens cover. A built-in JBL speaker with Bluetooth provides crisp and clear sound, while a USB reader port lets you play multimedia content from an external dongle. Compact and lightweight, the M1 mini Plus can be enjoyed in the kids' room or in the backyard, or carry it on the road camping, in hotels, or anywhere your travels take you. Integrated smart Wi-Fi connectivity lets you stream and binge from your favorite content providers like YouTube and Netflix. What's more, versatile connectivity options include HDMI, USB Type-A, and USB Type-C - making the M1 mini Plus a great option for sharing and displaying videos and other multimedia content.

### Specifications

| More Information   |                |
|--------------------|----------------|
| UPC                | 766907006384   |
| Light Source       | LED            |
| Display Resolution | WVGA (854x480) |

|                                          |                                                                                                                    |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Display Resolution</b>                | 854 x 480                                                                                                          |
| <b>Brightness (Lumens)</b>               | 120 LED (50 ANSI)                                                                                                  |
| <b>Screen Size</b>                       | 24 - 100 in. / 0.6 - 2.54 m                                                                                        |
| <b>Throw Distance</b>                    | 2.1 – 8.7 ft / 0.6 - 2.7 m                                                                                         |
| <b>Throw Ratio</b>                       | 1.2                                                                                                                |
| <b>Keystone</b>                          | Vertical (+/- 40°)                                                                                                 |
| <b>Light Source (watt)</b>               | RGB LED                                                                                                            |
| <b>Light Source Life, Normal (hours)</b> | 30000                                                                                                              |
| <b>Color Depth</b>                       | 1.07 Billion Colors                                                                                                |
| <b>Dynamic Contrast Ratio</b>            | 120,000:1                                                                                                          |
| <b>Aspect Ratio</b>                      | 16:9                                                                                                               |
| <b>Input Lag</b>                         | 37ms                                                                                                               |
| <b>Frequency Horizontal</b>              | 15h-135kHz                                                                                                         |
| <b>Frequency Vertical</b>                | 23-120Hz                                                                                                           |
| <b>PC Resolution (max)</b>               | 1920 x 1080                                                                                                        |
| <b>PC Resolution (min)</b>               | 640 x 480                                                                                                          |
| <b>Mac® Resolution (max)</b>             | 1920 x 1080                                                                                                        |
| <b>Mac® Resolution (min)</b>             | 640 x 480                                                                                                          |
| <b>USB 2.0 Type A</b>                    | 1                                                                                                                  |
| <b>USB 3.1 Type C</b>                    | 1                                                                                                                  |
| <b>HDMI 1.4 (with HDCP 1.4)</b>          | 1                                                                                                                  |
| <b>Wifi</b>                              | 5 GHz                                                                                                              |
| <b>Bluetooth</b>                         | Bluetooth 4.0                                                                                                      |
| <b>Internal Speakers</b>                 | 2W (x1)                                                                                                            |
| <b>Voltage</b>                           | AC adapter 5V, 4A                                                                                                  |
| <b>Consumption (typical)</b>             | 20W                                                                                                                |
| <b>Stand-by</b>                          | <0.5W                                                                                                              |
| <b>On Screen Display</b>                 | Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality) |
| <b>Temperature</b>                       | 32-104º F (0 - 40º C)                                                                                              |
| <b>Humidity (non-condensing)</b>         | 0-90%                                                                                                              |
| <b>Net (lbs)</b>                         | 0.7                                                                                                                |
| <b>Net (kg)</b>                          | 0.3                                                                                                                |
| <b>Physical (in.)</b>                    | 4.3 x 4.1 x 1.1                                                                                                    |
| <b>Physical (mm)</b>                     | 110.0 x 104.0 x 27.0                                                                                               |
| <b>Regulations</b>                       | FCC, cTUVus, ROHS                                                                                                  |

**Package Contents**

M1 mini Plus projector, Swappable panels (Gray, Teal, Yellow), Wrist strap, Remote Control and Quick Start Guide

**Warranty**

One-year limited warranty on parts and labor, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).

**Recycle/Disposal**

Please dispose of in accordance with local, state or federal laws.

**Portability**

Portable

UPC: 766907006384



**Contact Sales**

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)