



## XG341C-2K - 1440P 1MS 200HZ 21:9 CURVED GAMING MONITOR WITH FREESYNC, MINI LED, HDMI 2.1, USB C, DISPLAY HDR1400

### Key Features


- 34 Inch ultrawide 21:9 WQHD (3440x1440p) 1500R curved gaming monitor with 720-nits and thin bezels
- 200Hz (OC) refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync Premium Pro technology enables fluid and tear-free gameplay
- 1152 mini-LED backlighting zones and VESA DisplayHDR 1400
- PureXP motion blur reduction with backlight strobing technology delivers ultra-smooth graphics
- In addition to fast data, audio and video transfer, USB-C also provides quick 90W charging over a single cable
- The XG341C-2K supports laptops, PCs, Macs, Gaming Consoles with HDMI 2.1, USB-C, USB, and DisplayPort inputs




34  
DISPLAY



MVA  
PANEL



3440 x 1440  
RESOLUTION



### Product Description

Ascend to the next level of visual performance and upgrade your gameplay with the curved 34-inch XG341C-2K Mini LED monitor. Featuring UWQHD resolution and a VESA DisplayHDR1400 display, this state-of-the-art gaming monitor renders details with incredible clarity. Immerse yourself in ultra-smooth gameplay and react to enemies instantly with a rapid fire 200Hz (OC) refresh rate and a blazing-fast 1ms (MPRT) response time. Breeze through even the most intense action scenes with AMD FreeSync™ Premium Pro technology.

### Specifications

<b>UPC</b>	766907016239
<b>Monitor Series</b>	ELITE Gaming
<b>Screen Size</b>	34
<b>Viewable Area (in.)</b>	34
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	3440 x 1440
<b>Display Resolution</b>	UWQHD (3440x1440)
<b>Static Contrast Ratio</b>	3,000:1
<b>Dynamic Contrast Ratio</b>	120,000,000:1
<b>Light Source</b>	mini LED
<b>Brightness</b>	720; 1400 (w/ HDR+local dimming Peak (Min)) cd/m2
<b>Colors</b>	16.7M
<b>Aspect Ratio</b>	21:9
<b>Response Time (GTG w/OD)</b>	3ms
<b>Viewing Angles</b>	178º horizontal, 178º vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare
<b>Refresh Rate</b>	200Hz
<b>PC Resolution (max)</b>	3440 x 1440
<b>Mac® Resolution (max)</b>	3440 x 1440
<b>USB Type A</b>	3
<b>USB Type B</b>	1
<b>USB Type C</b>	90W x 1
<b>3.5mm Audio In</b>	1
<b>HDMI 2.1 In</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	5W (x2)
<b>Eco Mode (Conserve)</b>	53W
<b>Eco Mode (optimized)</b>	61W
<b>Consumption (typical)</b>	65W
<b>Consumption (max)</b>	68W
<b>Voltage</b>	100-240 VAC, 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1

<b>Physical Controls</b>	Up, Right, Down, Left, Power
<b>On Screen Display</b>	Game Modes, Display, Input Select, ViewMode, Audio Adjust, Setup Menu
<b>Temperature</b>	32-104º F (0 - 40º C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	30 ~ 320 KHz
<b>Frequency Vertical</b>	48 ~ 200 Hz
<b>Height Adjust</b>	120 mm / 4.7 in
<b>Tilt (Forward/Back)</b>	5º / 20º
<b>Net (lbs)</b>	25.0
<b>Net Without Stand (lbs)</b>	18.7
<b>Gross (lbs)</b>	40.3
<b>Net (kg)</b>	11.4
<b>Net Without Stand (kg)</b>	8.5
<b>Gross (kg)</b>	18.3
<b>Packaging (in.)</b>	37.9 x 20.4 x 13.8
<b>Physical (in.)</b>	31.8 x 18.94~23.67 x 15.1
<b>Physical Without Stand (in.)</b>	31.8 x 14.3 x 5.2
<b>Packaging (mm)</b>	963 x 518 x 351
<b>Physical (mm)</b>	807 x 481.11~601.11 x 384
<b>Physical Without Stand (mm)</b>	807 x 363 x 132
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
<b>Package Contents</b>	XG341C-2K x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.1; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB Type-C Gen2 Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, Quick Start Guide x1,
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907016239



**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)