

VA2435-H - 24" 1080P IPS MONITOR WITH HDMI, VGA

Key Features

- 24 Inch Full HD (1920x1080p) frameless IPS monitor
- Flicker-free technology and blue light filter for reduced eye fatigue
- Variable refresh rate enables smooth frame rates
- Hardware-based blue light filter
- Connect devices with HDMI and VGA inputs



24
DISPLAY



IPS
PANEL



1920 X 1080
RESOLUTION



Product Description

Experience flexible connectivity, wide-angle viewing and stunning screen performance with the ViewSonic® VA2435-H monitor. This three-sided frameless monitor delivers fantastic features at a superb value. Enjoy powerful brightness and contrast at nearly any viewing angle thanks to IPS panel technology. The VA2435-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Immerse yourself in a smoother viewing experience with built-in AMD FreeSync™ technology that virtually eliminates screen tearing and stuttering. Get a monitor that delivers great value and even better features with the ViewSonic VA2435-H monitor.

Specifications

UPC	766907020847
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,300:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8-bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	100Hz
Flicker-Free	Yes
PC Resolution (max)	1920 X 1080
Mac® Resolution (max)	1920 X 1080
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	14
Eco Mode (optimized)	17
Consumption (typical)	21
Consumption (max)	22
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	VGA: 24 ~ 86 KHz / HDMI 1.4: 30 ~ 115 KHz
Frequency Vertical	VGA: 48 ~ 75 Hz / HDMI 1.4: 48 ~ 100 Hz
Tilt (Forward/Back)	3° / 20°
Net (lbs)	6.4
Net Without Stand (lbs)	5.7
Gross (lbs)	9
Net (kg)	2.9
Net Without Stand (kg)	2.6
Gross (kg)	4.1
Packaging (in.)	23.6 " (W) x 15.6 " (H) x 4.4 " (D)
Physical (in.)	21.3 " (W) x 16 " (H) x 7.3 " (D)
Physical Without Stand (in.)	21.3 " (W) x 12.7 " (H) x 1.4 " (D)
Packaging (mm)	600 mm (W) x 395 mm (H) x 112 mm (D)
Physical (mm)	540 mm (W) x 406 mm (H) x 185 mm (D)
Physical Without Stand (mm)	540 mm (W) x 322 mm (H) x 36 mm (D)
Regulations	NOM, Mexico Energy
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907020847



Contact Sales
ViewSonic.com

888.881.8781
 email:
salesinfo@viewsonic.com