


## VA2756-4K-MHD - 27" 4K IPS MONITOR WITH HDMI, DISPLAYPORT

## Key Features

---


- 4K Ultra HD Resolution
  - SuperClear IPS Panel
  - Frameless Edge-to-Edge Screen
  - Versatile Connectivity
  - Optimized View Settings
- 



27  
DISPLAY



IPS  
PANEL



3840 x 2160  
RESOLUTION



## Product Description

---

Featuring enhanced wide-angle viewing, stunning resolution and flexible connectivity options, the ViewSonic® VA2756-4k-MHD monitor is a great addition to any workspace. This 27" VA2756-4k-MHD monitor comes with SuperClear® IPS panel technology so you can experience stunning brightness and contrast at nearly any viewing angle. Featuring 3840 x 2160 resolution and a frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. Connect laptops, PCs, gaming consoles and other multimedia devices with HDMI or DisplayPort connectivity. And with powerful features like flicker-free technology and a blue light filter, you can work for longer with less strain. Enjoy a 3 year limited warranty, industry-leading pixel performance policy and so much more with the ViewSonic® VA2756-4k-MHD monitor.

## Specifications

---

### More Information

<b>UPC</b>	766907005134
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	3840 x 2160
<b>Display Resolution</b>	4K (3840x2160)

<b>Static Contrast Ratio</b>	1,200:1
<b>Light Source</b>	LED
<b>Brightness</b>	400 cd/m <sup>2</sup>
<b>Colors</b>	1.07B
<b>Color Space Support</b>	8 bits
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>3.5mm Audio Out</b>	1
<b>HDMI 2.0 In</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	28w
<b>Eco Mode (optimized)</b>	34w
<b>Consumption (typical)</b>	40w
<b>Consumption (max)</b>	54w
<b>Voltage</b>	100-240 VAC, 50-60Hz
<b>Stand-by</b>	0.3w
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 140 KHz
<b>Frequency Vertical</b>	24 ~ 75 Hz
<b>Tilt (Forward/Back)</b>	3° / 20°
<b>Net (lbs)</b>	12.1
<b>Net Without Stand (lbs)</b>	10.4
<b>Gross (lbs)</b>	16.1

<b>Net (kg)</b>	5.5
<b>Net Without Stand (kg)</b>	4.7
<b>Gross (kg)</b>	7.3
<b>Packaging (in.)</b>	24.2 " (W) x 16.9 " (H) x 9.2 " (D)
<b>Physical (in.)</b>	24.2 " (W) x 14.5 " (H) x 2.1 " (D)
<b>Physical Without Stand (in.)</b>	26.7 " (W) x 19.3 " (H) x 6.5 " (D)
<b>Packaging (mm)</b>	614 mm (W) x 430 mm (H) x 233 mm (D)
<b>Physical (mm)</b>	614 mm (W) x 369 mm (H) x 53 mm (D)
<b>Physical Without Stand (mm)</b>	677 mm (W) x 497 mm (H) x 164 mm (D)
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC, Energy Star 8.0, EPEAT Silver, NOM, Mexico Energy
<b>Package Contents</b>	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907005134



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)