




XG2736-2K - 27" 2K GAMING MONITOR WITH HDMI, DISPLAYPORT, AND USB-C

Key Features

**27
DISPLAY****IPS
PANEL****2560 x 1440
RESOLUTION**

Product Description

Breeze past the competition with the 27 inch XG2736-2K gaming monitor. With a crystal clear 2k resolution, 240Hz refresh rate, and 0.5ms response time, this monitor will deliver stunning images along with peak gaming performance. Whether you play FPS games competitively, are a casual MMORPG player, or want the best experience with the latest single player game, this monitor will make any game you want to play look incredible. Get closer to the action with a specially designed narrow footprint stand, allowing you to put your mouse and keyboard closer to the monitor for a more comfortable gaming experience. Equipped with AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid gameplay during fast-paced action scenes. With the option of DisplayPort, HDMI, or USB-C with 65w power delivery, this monitor can connect to any of the newest gaming devices while keeping your laptop, phone, or controller charged.

Specifications

More Information

| | |
|-------------------------------|-----------------|
| UPC | 766907027358 |
| Monitor Series | ELITE Gaming |
| Screen Size | 27 |
| Viewable Area (in.) | 27 |
| Panel Type | IPS |
| Display Resolution | 2560 x 1440 |
| Display Resolution | QHD (2560x1440) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 80M:1 |
| Light Source | LED |

| | |
|------------------------------------|---|
| Brightness | 300 cd/m2 |
| Colors | 1.07B |
| Color Space Support | 8 bit + FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 2ms |
| Response Time (MPRT) | 0.5ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate | 240Hz |
| Flicker-Free | Yes |
| Blue Light Filter | Yes |
| PC Resolution (max) | 2560 x 1440 |
| Mac® Resolution (max) | 2560 x 1440 |
| USB Type C | 65W x 1 |
| 3.5mm Audio Out | 1 |
| HDMI 2.1 In | 2 |
| DisplayPort | 1 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 21W |
| Eco Mode (optimized) | 26W |
| Consumption (typical) | 29W |
| Consumption (max) | 33W |
| Voltage | 100-240 VAC, 50-60Hz |
| Stand-by | 0.3W |
| Power Supply | External |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Up, Right, Down, Left, Power |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 75 x 75 mm |
| Frequency Horizontal | HDMI 2.1 = 24 ~ 222 KHz, DisplayPort = 24 ~ 255 KHz, USB-C = 24 ~ 255 KHz |
| Frequency Vertical | HDMI 2.1 = 48 ~ 144 Hz, DisplayPort = 48 ~240 Hz, USB-C = 48 ~240 Hz |
| Height Adjust | 130 mm / 5.1 in |

| | |
|-------------------------------------|--|
| Swivel | 45° |
| Pivot (Right/Left) | 90° / 90° |
| Tilt (Forward/Back) | 5° / 20° |
| Net (lbs) | 13.9 |
| Net Without Stand (lbs) | 9.5 |
| Gross (lbs) | 19.4 |
| Net (kg) | 6.3 |
| Net Without Stand (kg) | 4.3 |
| Gross (kg) | 8.8 |
| Packaging (in.) | 33.9 " (W) x 20.8 " (H) x 6.9 " (D) |
| Physical (in.) | 24.2 " (W) x 17.4~22.5 " (H) x 9.6 " (D) |
| Physical Without Stand (in.) | 24.2 " (W) x 14.4 " (H) x 2.4 " (D) |
| Packaging (mm) | 862 mm (W) x 528 mm (H) x 175 mm (D) |
| Physical (mm) | 614.7 mm (W) x 440.7~570.7 mm (H) x 242.9 mm (D) |
| Physical Without Stand (mm) | 614.7 mm (W) x 365.7 mm (H) x 61.0 mm (D) |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, RoHS, WEEE |
| Package Contents | LCD Display, Power Cable, AC/DC Adapter, HDMI Cable, DisplayPort Cable, USB-C Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907027358



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com