




## LS831WU - 4500 LUMENS WUXGA ULTRA SHORT THROW LASER PROJECTOR WITH HV KEYSTONE AND 4 CORNER ADJUSTMENT


### Key Features

---


- High brightness 4500 Lumens WUXGA laser projector with 0.25 ultra short throw and advanced visual features
- Long-lasting laser phosphor light source allows the lamp to shine bright for up to 20,000 hours
- 0.25 ultra short throw ratio, HV keystone, 4 corner adjustments and 360 degree projection
- Schedule, and manage the projector remotely with Crestron, AMX, Extron, PJ Link, ATEN, and ViewSonic's vController
- Supports most media players, PCs, Macs, and mobile devices with inputs such as HDMI, USB and Ethernet LAN



70 - 200 in. / 1.8 - 5.1 m  
**DISPLAY**



**PANEL**



3840 x 2160  
**RESOLUTION**

Flexible connectivity for your favorite devices.



- 20,000 hours Lamp Life
- Fixed Zoom
- x2 HDMI 2.0 (HDCP 2.2)
- x2 VGA In/Out
- x1 RCA Audio In
- x1 USB 2.0 Type A
- x1 Ethernet Lan (RJ45)
- x2 3.5mm Audio In/Out
- x1 3.5mm 12V Trigger
- x1 RS232 In
- x1 S-Video In
- x1 Composite RCA Video In
- x1 3D VESA
- x1 HDBT
- x1 Kensington Lock Slot

### Product Description

---


Featuring stunning WUXGA resolution and 4,500 lumens of brightness, the ViewSonic® LS831WU Laser Projector is the ideal solution for modern business and education environments. Designed with a laser phosphor light source lasting up to 20,000 hours, this projector delivers long-term, virtually maintenance-free usage for any boardroom or classroom. With its 0.25 ultra-short throw ratio, HV keystone and 4 corner adjustments, the LS831WU makes installation a hassle-free experience. What's more, the ultra-short throw ratio allows you to place the projector just inches away from a wall or screen to give you a huge image for less cost than a comparably sized display. Powered by SuperColor technology for true-to-life images, and SonicExpert® technology for incredibly clear sound, the LS831WU delivers an immersive audiovisual performance.

# Specifications

More Information	
UPC	766907005448
Light Source	DLP Laser
Display Resolution	WUXGA (1920x1200)
Display Resolution	1920 x 1200
Brightness (Lumens)	4,500 ANSI
Screen Size	70 - 200 in. / 1.8 - 5.1 m
Throw Distance	0.2 - 2.4 ft / 0.1 - 0.7 m
Throw Ratio	0.252
Keystone	Vertical (± 5°) / Horizontal (± 5°)
Light Source (watt)	67W X 2
Light Source Life, Normal (hours)	20000
Color Depth	1.07 Billion Colors
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:10
Input Lag	37ms
Frequency Horizontal	15K~102KHz
Frequency Vertical	23~120Hz
PC Resolution (max)	3840 x 2160
PC Resolution (min)	640 x 480
Mac® Resolution (max)	3840 x 2160
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
Ethernet LAN (RJ45)	1
3.5mm 12V Trigger	1
3.5mm Audio Out	1
3.5mm Audio In	1
Control (RS232)	1
HDMI 2.0 (with HDCP 2.2)	2
VGA In	1
VGA Out	1
Composite RCA Video In	1
S-Video In	1
RCA Audio In (L/R)	1

<b>3D VESA</b>	1
<b>HDBT</b>	1
<b>Internal Speakers</b>	10W (x2)
<b>Voltage</b>	100-240V+/- 10%, 50/60Hz AC
<b>Consumption (typical)</b>	504W
<b>Stand-by</b>	<0.5W
<b>Physical Controls</b>	Keypad, Power key
<b>On Screen Display</b>	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Net (lbs)</b>	21.8
<b>Gross (lbs)</b>	28.8
<b>Net (kg)</b>	9.9
<b>Gross (kg)</b>	13.1
<b>Packaging (in.)</b>	25.7 x 21.2 x 11.6
<b>Physical (in.)</b>	19.3 x 15.2 x 6.1
<b>Packaging (mm)</b>	645.0 x 540.0 x 295.0
<b>Physical (mm)</b>	492.0 x 387.0 x 157.0
<b>Regulations</b>	FCC, cTUVus
<b>Package Contents</b>	LS831WU projector, power cable, VGA cable, remote control, Quick Start Guide,
<b>Warranty</b>	Three-year limited warranty on parts and labor, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907005448



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)