



LDP163-091 - 163" ALL-IN-ONE PREMIUM 4K ULTRA HD DIRECT VIEW LED DISPLAY

Key Features


- Seamlessly Immersive
- Versatile Installation Orientation
- Super-Sized Video Walls
- Amazing Visuals
- Theater-Level Audio
- Enhanced Durability and Reliability
- Simple and Easy Setup
- Peace of Mind
- Device Management Made Easy
- Wireless Content Sharing
- Easy Maintenance



163
DISPLAY



Fine Pixel Pitch LED
PANEL



3840x2160
RESOLUTION


Product Description

The ViewSonic® LDP163-091 All-in-One Direct View LED Display is a premium 163" larger-than-life digital screen that delivers an incredible audio-visual experience for any high-end corporate lobby, boardroom or conference room. Featuring a 120% Rec. 709 wide color gamut, lightning-fast 3,840Hz refresh rate, and a peak brightness of 600 nits, this display delivers true-to-life color and extraordinary detail for every video, presentation and lecture. The display is also equipped with Harman Kardon speakers, 4K/HDR/HLG support and PIP/PBP display modes for immersive content delivery. At 25mm slim and lined with a 5mm frameless edge, the sleek LDP163-091 exudes sophistication and elegance in any modern setting.

Specifications

UPC	766907014990
Display Type	Direct View LED
Screen Size	163
Viewable Area (in.)	163
Orientation	Landscape / Portrait
Light Source	Fine Pixel Pitch LED
LED Pitch Size (mm)	0.93
LED Grayscale	14 bits
Display Resolution	3840 x 2160
Refresh Rate	3,840Hz
Panel Type	Fine Pixel Pitch LED
Aspect Ratio	16:9
Static Contrast Ratio	20,000:1 (Typical)
Backlight Life (Hours)	100,000
Brightness	500 cd/m2
Viewing Angles	170° horizontal, 170° vertical
Wifi	2.4G / 5G n
OS	Android 9.0
Media Player Type	Yes
CPU	MTK9669
Memory	4GB DDR4
Storage	64GB (56GB available)
Internal Speakers	20W (x2)
PC Resolution (max)	3840x2160
Mac® Resolution (max)	3840x2160
HDMI 1.4 In	2
HDMI 2.0 In	3
HDMI 2.1 In	1
HDMI 2.0 Out	2
3.5mm Audio Out	1
USB 2.0	3
RS232	1
Ethernet LAN (RJ45)	1
IR in	1
Intel® OPS Slot In (80-pin)	1
Voltage	100-240V+/- 10%, (100-120V/30A, 50/60Hz ; 220-240V/15A)

Consumption (typical)	1860W
Stand-by	<0.5W
On Screen Display	Yes
Remote Control	Yes
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-80%
Net (lbs)	494
Gross (lbs)	732
Net (kg)	224
Gross (kg)	332
Physical (in.)	142.1 x 84.5 x 1.4
Physical with Wall Mount (in.)	142.5 x 84.5 x 3
Physical (mm)	3610 x 2145.3 x 35
Physical with Wall Mount (mm)	3610 x 2145.3 x 77
Warranty	3-year limited warranty on parts and labor, on-site service
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Package Contents	Power Cord: x1, LAN Cable (Cat 5A): x1 (5m), IR Extender Cable: x1 (3m), Remote Control: x1, QSG: x1, Wall Mount: x1, Spare Parts: 42, Maintenance Tool: LD-MK-002 x1
Regulations	cTUVus, FCC, RoHS
UPC: 766907014990	



Contact Sales

ViewSonic.com

888.881.8781

email:

salesinfo@viewsonic.com