





VA2709M - 27" 1080P IPS 100HZ VARIABLE REFRESH RATE MONITOR WITH HDMI, VGA

Key Features


- Accurate from All Angles: SuperClear® IPS Technology
- Frameless Design
- Variable Refresh Rate
- Versatile Connectivity
- Full HD 1080p Resolution
- Optimized View Settings
- VESA-Compatible Mount
- Enhanced Viewing Comfort
- Dual Integrated Speakers
- 3-Year Limited Warranty



27
DISPLAY



IPS
PANEL



1920 X 1080
RESOLUTION

Product Description

Featuring enhanced wide-angle viewing, stunning resolution and flexible connectivity options, the ViewSonic® VA2709m monitor is a great addition to any workspace. This 27" VA2709m monitor comes with SuperClear® IPS panel technology so you can experience stunning brightness and contrast at nearly any viewing angle. With a minimalist edge-to-edge screen and a 3-sided frameless bezel, you can easily create a seamless multi-monitor setup. Connect laptops, PCs, gaming consoles and other multimedia devices using the HDMI port. And with powerful features like flicker-free technology and a blue light filter, you can work for longer with less strain. Enjoy a 3 year limited warranty, industry-leading pixel performance policy and so much more with the ViewSonic VA2709m monitor.

Specifications


More Information	
UPC	766907024760
Screen Size	27

Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,300:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920 X 1080
Mac® Resolution (max)	1920 X 1080
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	22w
Eco Mode (optimized)	26w
Consumption (typical)	30w
Consumption (max)	33w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3w
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm

Frequency Horizontal	VGA: 24 ~ 86 KHz / HDMI 1.4: 24 ~ 115 KHz
Frequency Vertical	VGA: 48 ~ 75 Hz / HDMI 1.4: 48 ~ 100 Hz
Tilt (Forward/Back)	5° / 20°
Net (lbs)	9.3
Net Without Stand (lbs)	7.9
Gross (lbs)	13
Net (kg)	4.2
Net Without Stand (kg)	3.6
Gross (kg)	5.9
Packaging (in.)	27.4 " (W) x 18.1 " (H) x 5.7 " (D)
Physical (in.)	24.2 " (W) x 18.1 " (H) x 8 " (D)
Physical Without Stand (in.)	24.2 " (W) x 14.3 " (H) x 1.8 " (D)
Packaging (mm)	695 mm (W) x 460 mm (H) x 145 mm (D)
Physical (mm)	615 mm (W) x 460 mm (H) x 203 mm (D)
Physical Without Stand (mm)	615 mm (W) x 364 mm (H) x 46 mm (D)
Regulations	cTUVus, FCC-B, ICES003, CEC, NRCAN, NOM, Mexico Energy
Package Contents	LCD Display, Power Cable, HDMI Cable, AC/DC Adapter, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907024760	

Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 