


XG321UG - 32" ELITE 4K UHD 144HZ IPS G-SYNC GAMING MONITOR WITH MINI LED, HDR1400, NVIDIA REFLEX AND 99% ADOBERGB


Key Features

- 32 Inch 4K UHD (3840x2160p) Quantum Dot IPS G-Sync Ultimate gaming monitor with 400-nits and thin bezels
- 144Hz (OC) refresh rate and 3ms (GtG) response time for ultimate gaming experience
- 1152 mini-LED backlighting zones, true 10-bit color depth and VESA DisplayHDR 1400
- NVIDIA Reflex provides enhanced system optimizations that deliver the lowest possible latency
- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- The XG321UG supports laptops, PCs, Macs, PlayStation, and Xbox with HDMI, USB and DisplayPort inputs






**32
DISPLAY**




**IPS
PANEL**




**3840 x 2160
RESOLUTION**


ADVANCED ERGONOMICS
Maximum Comfort




HEIGHT ADJUSTABLE



SWIVEL



PIVOT



TILT

Product Description


Experience a new level of visual performance and upgrade your gameplay on the ViewSonic® ELITE™ XG321UG gaming monitor. Featuring Mini LED technology, a pixel-dense 4K Ultra HD screen and VESA DisplayHDR™ 1400 certification, this 32" monitor renders new gaming worlds in stunning clarity. Decimate opponents and annihilate the competition with NVIDIA Reflex, which provides precision accuracy down to the millisecond. Plus, with a rapid 144Hz refresh rate and a 3ms (GTG) response time, this monitor delivers ultra-smooth gameplay with reduced ghosting.

Specifications

Screen Size	32
Viewable Area (in.)	32
Panel Type	IPS
Display Resolution	3840 x 2160
Display Resolution	4K (3840x2160)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	120,000,000:1
Light Source	mini LED
Brightness	400 cd/m2
Colors	1.07B
Color Space Support	10 bit true
Aspect Ratio	16:9
Response Time (GTG w/OD)	3.6ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	144Hz
PC Resolution (max)	3840 x 2160
Mac® Resolution (max)	3840 x 2160
USB Type A	3
USB Type B	1
3.5mm Audio Out	1
HDMI 2.0 In	3
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	65.2W
Eco Mode (optimized)	71.5W
Consumption (typical)	80.5W
Consumption (max)	84.5W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Quick Access; Power
On Screen Display	Game Modes, Display, G-SYNC® Processor, Input Select, Audio Adjust, Setup Menu

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v2.0): 30 ~ 150KHz, DisplayPort (v1.4): 255 ~ 255KHz
Frequency Vertical	HDMI (v2.0): 24 ~ 144KHz, DisplayPort (v1.4): 1 ~ 144KHz
Height Adjust	120 mm / 4.7 in
Tilt (Forward/Back)	5° / 20°
Net (lbs)	23.8
Net Without Stand (lbs)	17.1
Gross (lbs)	35.1
Net (kg)	10.8
Net Without Stand (kg)	7.8
Gross (kg)	15.9
Packaging (in.)	33.5 x 20.7 x 12.9
Physical (in.)	28.6 x 18.99~23.71 x 10.4
Physical Without Stand (in.)	28.6 x 17 x 3.7
Packaging (mm)	850.0 x 527.0 x 327.0
Physical (mm)	726.0 x 482.3~602.3 x 265.0
Physical Without Stand (mm)	726.0 x 432.0 x 93.0
Regulations	cTUVus, FCC-B, ICES003, CEC, NRCAN, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, UKCA, RCM, CCC, China RoHS, China Energy Label
PACKAGE CONTENTS	XG321UG x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.0; Male-Male) x1, DisplayPort Cable (v1.4; Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907011326



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com