

VA951S-S


Key Features

REFURBISHED


- 1280x1024 native resolution
- SuperClear image enhancement technology
- ViewMode technology



19
DISPLAY



IPS
PANEL



1280 x 1024
RESOLUTION



Product Description

Designed for legacy and customized applications that require a 5:4 aspect ratio, the ViewSonic VA951S 19" LED display delivers stunning screen performance with 1280x1024 resolution and SuperClear IPS panel technology. Equipped with ViewSonic's unique ViewMode feature, this display provides intuitive presets that deliver optimized screen performance for different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods. A uniform, matte ID design reduces glare and facilitates easy multiple monitor set up. Versatile connectivity options include DVI and VGA inputs, while a VESA-mountable design provides additional convenience and flexibility. Featuring ENERGY STAR and EPEAT certification, as well as an energy-saving Eco-mode setting, the VA951S offers solid performance while delivering low TCO for a wide range of users.

Specifications

| | |
|------------------------------------|---|
| UPC | 766907868210 |
| Screen Size | 19 |
| Panel Type | IPS |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 20,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m ² |
| Colors | 16.7M |
| Response Time (Typical GTG) | 14ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | 3H Anti-glare, hard-coating |
| PC Resolution (max) | 1280 x 1024 |
| Mac® Resolution (max) | 1280 x 1024 |
| VGA | 1 |
| DVI-D | 1 |
| Eco Mode (Conserve) | 13W |
| Eco Mode (optimized) | 16W |
| Consumption (typical) | 20W |
| Consumption (max) | 22W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | 1, 2, Down, Up, Power |
| On Screen Display | Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual ImageAdjust, Setup Menu, Memory Recall(See user guide for complete OSD functionality) |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | 24~82kHz |
| Frequency Vertical | 50~75Hz |
| Analog Sync | Separate Sync, Composite Sync, Sync on Green |
| Tilt (Forward/Back) | 5° / 25° |
| Net (lbs) | 6.6 |
| Net Without Stand (lbs) | 6 |
| Gross (lbs) | 9.2 |

| | |
|-------------------------------------|--|
| Net (kg) | 3 |
| Net Without Stand (kg) | 2.7 |
| Gross (kg) | 4.2 |
| Packaging (in.) | 18.7 x 18.1 x 5.2 |
| Physical (in.) | 16.4 x 15.8 x 7.8 |
| Physical Without Stand (in.) | 16.4 x 13.4 x 2.2 |
| Packaging (mm) | 475.0 x 460.0 x 131.0 |
| Physical (mm) | 416.2 x 402.2 x 199.1 |
| Physical Without Stand (mm) | 416.2 x 341.2 x 54.9 |
| Regulations | cULus, FCC-B, ICES003, Energy Star 7.0, EPEAT Certified, UL-MX-CoC, Mexico Energy, CE, REACH, WEEE, UkrSEPRO |
| Package Contents | VA951S monitor, Power cable, VGA cable, Quick Start Guide, ViewSonic Wizard CD (User Guide) |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |
| Classification | Discontinued, Refurbished |

UPC: 766907868210



Contact Sales
ViewSonic.com

888.881.8781 ☎
 email:
salesinfo@viewsonic.com