

## VP2785-4K - 27" 4K UHD ADOBERGB COLORPRO™ IPS MONITOR W/ USB C & HDR10

### Key Features

---

- Stunning 4K Ultra HD Resolution
- High Dynamic Range
- Loaded with Connectivity
- Ultimate Color Accuracy
- Excellent Screen Uniformity
- Seamless Viewing Experience



27  
DISPLAY



IPS  
PANEL



3840 x 2160  
RESOLUTION



### Product Description

---

- **PREMIUM MONITOR:** 4K UHD (3840x2160p) advanced ergonomic, 60Hz IPS monitor deliver lifelike colors perfect for office, graphic design, photographers and more
- **FRAMELESS DIGITAL CANVAS:** A three-sided ultra-thin bezel shows off more of your masterpiece, and less of the monitor
- **REDUCE CABLE CLUTTER:** Connect video, audio, data and power with a single USB-C cable and plug in peripherals like USB drives and mice with the USB hub
- **COLOR ACCURACY:** Screen wide 99% Adobe RGB, EBU, SMPTE-C, Rec. 709, and DICOM-SIM color spaces, Delta E<2 accuracy, and a smooth palette of 4.39 trillion colors deliver precise, lifelike images
- **HARDWARE CALIBRATION:** Quick and easy calibration ensures that the color displayed perfectly matches the original file
- **HDR10 CONTENT SUPPORT:** Displays videos as they are intended to be seen - giving you a fuller, more immersive viewing experience
- **FLEXIBLE CONNECTIVITY:** The VP2785-4K supports laptops, PCs, and Apple/Mac operating systems with USB 3.1 Type C, HDMI 2.0 with HDCP 2.2, DisplayPort, and Mini DisplayPort inputs
- **INCLUDED IN THE BOX:** LCD Monitor, Power Cable, AC/DC Adapter, USB 3.1 Type C Cable, Mini DP to DP Cable, USB 3.0 Cable, and Factory Color Calibration Report


# Specifications

---

	More Information
<b>UPC</b>	766907902112
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	3840 x 2160
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	20M:1
<b>Light Source</b>	LED
<b>Brightness</b>	350 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10bit (8bit + A-FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	7ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB Type A</b>	3
<b>USB Type B</b>	1
<b>USB Type C</b>	1
<b>3.5mm Audio Out</b>	1
<b>HDMI 2.0 (with HDCP 2.2)</b>	2
<b>DisplayPort</b>	1
<b>Mini DisplayPort</b>	1
<b>Eco Mode (Conserve)</b>	45
<b>Eco Mode (optimized)</b>	55
<b>Consumption (typical)</b>	67
<b>Consumption (max)</b>	70
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Cable Organization</b>	No

<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, 3, 4, 5, Power
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~90KHz
<b>Frequency Vertical</b>	24 ~120Hz
<b>Digital Sync</b>	TMDS, PCI-E
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	5° / 21°
<b>Net (lbs)</b>	14.1
<b>Net Without Stand (lbs)</b>	8.7
<b>Gross (lbs)</b>	22.3
<b>Net (kg)</b>	6.4
<b>Net Without Stand (kg)</b>	3.9
<b>Gross (kg)</b>	10.1
<b>Packaging (in.)</b>	28.3 x 10.6 x 18.1
<b>Physical (in.)</b>	24.1 x 21.5 x 8.5
<b>Physical Without Stand (in.)</b>	24.1 x 14.3 x 2.3
<b>Packaging (mm)</b>	720 x 268 x 460
<b>Physical (mm)</b>	612.4 x 545.5 x 215.0
<b>Physical Without Stand (mm)</b>	612.4 x 362.7 x 57.6
<b>Regulations</b>	UL, cUL, FCC-B, Mexico CoC, CB , CE, WEEE, RoHS, ErP, REACH, TCO6.0, Ukraine, GS, Ergo
<b>Package Contents</b>	VP2785-4K Display, AC/DC Adapter, Power Cable, Mini DP to DisplayPort Cable , USB 3.1 Gen 1 Type-C Cable, USB 3.0 Up Stream Cable, Quick Start Guide, ViewSoinc Wizard CD-Rom
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907902112



**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)