

## VP3881 - 38" CURVED ULTRA-WIDE WQHD+ COLORPRO™ IPS MONITOR W/ USB C

### Key Features

---


- Immersive Curved Screen Design
- HDR10 Content Support
- Loaded with Connectivity (USB Type C, HDMI, DisplayPort, and HDCP 2.2)
- Amazing Color Accuracy
- Professional Color Processing Capability



38  
DISPLAY



IPS  
PANEL



3840 x 1600  
RESOLUTION



### Product Description

---

With an immersive curved screen and stunning WQHD+ 3840x1600 resolution, the ViewSonic® VP3881 monitor elevates your viewing experience from flat to panoramic. Delivering incredible detail and vivid colors across wide viewing angles, this monitor is engineered to provide incredible color accuracy, while HDR10 content support delivers a wide dynamic range of vivid colors and rich contrast. Thanks to an expansive 38" (37.5" viewable) frameless screen, ultra-wide 21:9 aspect ratio, and integrated speakers, this monitor is ideal for video editing, content development, and other color-critical applications. With a sleek and modern design, the VP3881 features a future-proof USB type C port as well as DisplayPort technology, and HDMI. What's more, HDCP 2.2 content protection is standard across all ports to provide secure 4K content playback, streaming and gaming. The VP3881 provides an amazing Delta E<2 value precise color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Hardware calibration is also available with the optional ViewSonic Colorbration™ Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, and other professional applications.

[Download the ColorPro brochure.](#)

# Specifications

---

	More Information
<b>UPC</b>	766907916317
<b>Screen Size</b>	38
<b>Viewable Area (in.)</b>	37.52
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	3840 x 1600
<b>Static Contrast Ratio</b>	1,000:1
<b>Dynamic Contrast Ratio</b>	20,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	300 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10bit (8bit+A-FRC)
<b>Aspect Ratio</b>	21:9
<b>Response Time (Typical GTG)</b>	14ms
<b>Response Time (GTG w/OD)</b>	7ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>Curvature</b>	2300R
<b>PC Resolution (max)</b>	3840 x 1600
<b>Mac® Resolution (max)</b>	3840 x 1600
<b>USB Type A</b>	3
<b>USB Type B</b>	1
<b>USB Type C</b>	1
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>HDMI 2.0 (with HDCP 2.2)</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	5W (x2)
<b>Amplifier</b>	Class D
<b>Eco Mode (Conserve)</b>	132W
<b>Eco Mode (optimized)</b>	143W
<b>Consumption (typical)</b>	155W
<b>Consumption (max)</b>	170W

<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.3W
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1, 2, 3, 4, 5, Power [6]
<b>On Screen Display</b>	Main Menu (refer to OSD Table), Short cut key (refer to Short Cuts Function)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~135KHz
<b>Frequency Vertical</b>	24 ~ 75Hz
<b>Digital Sync</b>	Mini-Packet (Display Port 1.4, Type C), TMDS for HDMI 2.0
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Tilt (Forward/Back)</b>	1° / 21°
<b>Net (lbs)</b>	28.0
<b>Net Without Stand (lbs)</b>	17.6
<b>Gross (lbs)</b>	43.8
<b>Net (kg)</b>	12.7
<b>Net Without Stand (kg)</b>	8.0
<b>Gross (kg)</b>	19.9
<b>Packaging (in.)</b>	41.2 x 19.3 x 14.8
<b>Physical (in.)</b>	35.3 x 24.8 x 11.8
<b>Physical Without Stand (in.)</b>	35.3 x 15.7 x 4.1
<b>Packaging (mm)</b>	1046.0 x 490.0 x 375.0
<b>Physical (mm)</b>	896.0 x 629.2 x 298.8
<b>Physical Without Stand (mm)</b>	896.0 x 398.0 x 103.1
<b>Regulations</b>	cTUVus, FCC-B, Mexico CoC, EPEAT Certified, Energy Star, Mexico Energy, CB, CE, WEEE, RoHS, ErP, REACH, CU, Ukraine
<b>Package Contents</b>	VP3881 Display, AC/DC Adapter, Power Cable, DisplayPort to DisplayPort, HDMI 2.0 Cable, USB3.1 Gen.1 Type C Cable, USB 3.0 UpStream Cable (Type B to A), Audio Cable (3.5mm audio male to male), Quick Start Guide, ViewSonic Wizard CD-ROM
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Classification</b>	Discontinued

UPC: 766907916317



**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)