

VX2485-MHU - 24" 1080P THIN-BEZEL IPS MONITOR WITH 60W USB C AND HDMI

Key Features

- 24 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate
- USB-C connectivity for fast data, audio and video transfer, and 60W charging over one cable
- ERGONOMIC STAND: Ergonomic tilt and swivel stand for all-day comfort
- AMD FreeSync technology enables fluid and tear-free gameplay
- The VX2485-MHU supports laptops, PCs, and Macs with USB C, HDMI, and VGA inputs





**24
DISPLAY**



**IPS
PANEL**



**1920 x 1080
RESOLUTION**

Future-Proof inputs for flexible connectivity options.



- x1 HDMI 1.4
- x1 USB 3.2 Type-C
- x1 VGA
- x1 3.5 mm Audio (In/Out)
- 2x 3-Watt Integrated speakers
- Tilt and swivel stand

Product Description

Designed for the modern-day home office, the ViewSonic® VX2485-mhu is a 24" Full HD IPS monitor that combines style with optimal versatility and functionality. Whether for gaming, streaming, or editing, these sleek and slim displays are engineered with the everyday user in mind. Equipped with AMD FreeSync™ technology*, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for a smoother viewing experience. With a three-sided borderless design, thin profile, and thoughtful cable management features, this display transforms the desktop into a streamlined and clutter-free workspace. What's more, a unique ergonomic stand allows you to easily tilt and swivel the screen for maximum comfort. The latest USB 3.2 Type-C connectivity delivers charging power, video, and audio over a single cable, while HDMI and VGA inputs keep you connected to your favorite devices.


*AMD FreeSync supported via HDMI only

Specifications

	More Information
UPC	766907003949
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + A-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	75Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type C	60W x 1
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	13W
Eco Mode (optimized)	16W
Consumption (typical)	18W
Consumption (max)	94W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W

Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4): 16 ~ 84 KHz, USB Type C: 84 ~ 84 KHz
Frequency Vertical	HDMI (v1.4): 48 ~ 76 KHz, USB Type C: 48 ~ 76 KHz
Digital Sync	TMDS for HDMI (v1.4). Micro-Packet for USB Type C.
Swivel	30°
Tilt (Forward/Back)	5° / 20°
Net (lbs)	9.3
Net Without Stand (lbs)	5.9
Gross (lbs)	12.8
Net (kg)	4.2
Net Without Stand (kg)	2.7
Gross (kg)	5.8
Packaging (in.)	24.6 x 16.1 x 4.9
Physical (in.)	21.2 x 15.9 x 9.8
Physical Without Stand (in.)	21.2 x 12.7 x 2.0
Packaging (mm)	624.0 x 410.0 x 125.0
Physical (mm)	540.0 x 404.0 x 250.0
Physical Without Stand (mm)	540.0 x 322.0 x 50.0
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NRCan, MX-CoC, Mexico Energy
Package Contents	VX2485-mhu Monitor, AC/DC Power Adapter, USB-C Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907003949



Contact Sales
ViewSonic.com
 888.881.8781
 email: salesinfo@viewsonic.com