



EP2710-B1 - 27" DISPLAY, 2560 X 1440 RESOLUTION, 250 CD/M2 BRIGHTNESS, 16/7

Key Features


- FRAMELESS DISPLAY DESIGN
- POWERFUL OCTA-CORE SOC
- OPTIONAL AUTOMATIC HAND SANITIZING DISPENSER
- OPTIONAL CONTENT MANAGEMENT SOFTWARE
- LOADED WITH CONNECTIVITY



27
DISPLAY



IPS
PANEL



Up to 1920x1080 non-interlaced
RESOLUTION

Product Description

The ViewSonic® EP2710-B1 is a Health Flex Hand Sanitizing Station bundled with a 27" display, media player, and hand sanitizer dispenser holder. With a sleek and slim design, and optional touchless dispenser for hands-free sanitizing, the EP2710-B1 makes displaying health notices, business information, and promotions easier than ever. Featuring QHD resolution, 178°/178° wide-angle viewing, 250-nit brightness, 1,000:1 contrast ratio, and dual stereo speakers, the EP2710-B1 delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the external Octa-core media player and 16GB of internal memory, or you can add your own media player using the convenient media player cradle inside the lockable security door. Highlight your commitment to your customers' health with the ViewSonic Health Flex Hand Sanitizing Station bundle.

Specifications


	More Information
Screen Size	27
Viewable Area (in.)	27

Display Resolution	2560 x 1440
Light Source	LED
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	20,000,000:1
Brightness	250 cd/m2
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	7ms
Panel Surface	Anti-glare, hard-coating (3H)
Panel Type	IPS
Operation Rating	16/7
PC Resolution (max)	Up to 1920x1080 non-interlaced
Mac® Resolution (max)	Up to 1920x1080
3.5mm Audio Out	1
DisplayPort	1
DisplayPort Out	1
USB 3.0 Type B	1
HDMI 1.4 In	2
USB 3.0 Type A	4
Media Player Type	Yes
Voltage	AC 100-240V (universal), 50-60Hz
Consumption (typical)	32W
Eco Mode (optimized)	26.5W
Eco Mode (Conserve)	22.5W
Stand-by	0.3W
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	15~90kHz
Frequency Vertical	59-61Hz
VESA Compatible	100 x 100 mm
Gross (lbs)	71.2
Net (lbs)	57.2
Gross (kg)	32.3
Net (kg)	25.9
Packaging (in.)	65.0 x 20.0 x 20.0

Physical (in.)	60.0 x 16.0 x 16.0
Packaging (mm)	1651.0 x 508.0 x 508.0
Physical (mm)	1524.0 x 406.4 x 406.4
Regulations	UL, FCC-B, EPEAT, ENERGY STAR
Package Contents	STND-059 x 1, VP2768 x 1, NMP520-W x 1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	One-year limited warranty on parts and labor

Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 