

IFP7550-S


Key Features

REFURBISHED

- Ultra HD Resolution
- 20-point Multi-touch Interactive Screen
- myViewBoard™ Annotation Software
- Out-of-Box Collaboration
- Free Download Available (For More Info, See Below)
- Share With Air Class
- Camera Mounting Bracket Included









75 DISPLAY

PANEL

RESOLUTION

Product **Description**

This item has been discontinued. Please see our replacement sku here. Featuring 4K Ultra HD resolution and an immersive 20-point touch screen, the ViewSonic® ViewBoard® IFP7550 delivers incredible collaborative capabilities for modern boardrooms and classrooms. With vBoard® Embedded software, this 75° interactive flat panel lets multiple users write or draw on the screen with their fingers and styluses. For more robust annotation options, ViewBoard® Interactive Annotation Software for Windows PC is available via a free download. With a built-in quad-core processor, as well as versatile connectivity options including multiple HDMI, VGA, RS232, RJ45, and USB ports, this display provides powerful computing for annotation and multimedia playback without the need for a PC. This display delivers optional slot-in PC capability for more computing-intensive interactive applications. The IFP7550 features a VESA-compatible design and can be placed on a wall mount, or on an optional trolley cart for flexible installation in classrooms and corporate meeting rooms.

For more detailed information on how ViewSonic ViewBoards can best be utilized in a school environment, see our ViewBoard FAQs.

Specifications

	Mary Information	
More Information		
UPC	766907935912	
os	ViewBoard OS (embedded Android 8)	
GPU	ARM Mali450 MP4	
СРИ	ARM Cortex A53 Quad Core Processor 1.5GHz	
Memory	2GB	

Storage	16GB
Built-in Software	OSD / Remote Control / Annotation overlay
Internal Speakers	16W (x2)
HDMI 1.4 In	2
HDMI 2.0 In	1
HDMI Out	1
VGA	1
DisplayPort	1
Composite RCA	1
3.5mm Audio In	1
3.5mm Audio Out	1
SPDIF Audio Out	1
USB 3.0	2
USB 2.0	4
Slot-in PC Slot	1
USB B Touch Port	2
Ethernet LAN (RJ45)	1
WIFI Module Slot	1
Intel® OPS Slot In (80-pin)	1
Expansion Slot	1
Voltage	100-240 VAC, 50-60Hz
Consumption With Slot-In PC (typical)	387W
Consumption Without Slot-In PC (typical)	292W
Stand-by	<0.5W
On Screen Display	Input, Volume, Backlight, Audio, Screen, Display, Adjust
Remote Control	Volume, Channel, Source, Mute, Back, Input, Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	10-90%
Touch Technology	Infrared
Touch Points	Windows: 20, Android: 20
Net (lbs)	128.97
Gross (lbs)	167.55
Net (kg)	58.5
Gross (kg)	76
Packaging (in.)	75.3 x 48.2 x 11.0
Physical (in.)	69.4 x 41.0 x 3.9

1919 x 1225 x 280 Packaging (mm) Physical (mm) 1763 x 1042 x 99 **VESA Compatible** 800 x 400 mm **Camera Mounting Bracket** 1 *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. Warranty Recycle/Disposal Please dispose of in accordance with local, state or federal laws. IFP7550 display, stylus pen x 3, power cable, remote control with batteries, ViewSonic Wizard CD **Package Contents** (User Guide), Quick Start Guide, USB cable, audio cable, camera bracket, VGA cable, power cords Regulations cTUVus, FCC, Mexico Energy, CE, CB, RoHS, ErP, WEEE Classification Refurbished **Ethernet LAN** (10/100/1000M) (Android 10/100, PC 10/100/1000) **Screen Size** 75 Viewable Area (in.) 75 **Light Source** LED **Display Resolution** 3840 x 2160 16:9 **Aspect Ratio Static Contrast Ratio** 1,200:1 Backlight Life (Hours) 50,000 **Brightness** 350 cd/m2 Response Time (Typical GTG) 8ms **Viewing Angles** 178º horizontal, 178º vertical **Panel Surface** Anti-glare 7H tempered glass 16/7 **Operation Rating**

UPC: 766907935912







Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com