


VA2747-MH-S

## Key Features

---

### REFURBISHED


- Frameless Design
- HDMI Cable in Every Box
- Incredible Screen Performance
- Adaptive Sync



27  
**DISPLAY**



MVA  
**PANEL**



1920x1080@75Hz  
**RESOLUTION**

Full HD (1920x1080p) Resolution



## Product Description

---

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2747-MH delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2747-MH delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2747-MH features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2747-MH a great overall value choice.


## Specifications

---

|                                    |   |
|------------------------------------|---|
| <b>UPC</b>                         | 766907015027  |
| <b>Screen Size</b>                 | 27  |
| <b>Viewable Area (in.)</b>         | 27  |
| <b>Panel Type</b>                  | MVA   |
| <b>Display Resolution</b>          | 1920 x 1080   |
| <b>Display Resolution</b>          | Full HD (1920x1080)   |
| <b>Static Contrast Ratio</b>       | 4,000:1   |
| <b>Dynamic Contrast Ratio</b>      | 50,000,000:1  |
| <b>Light Source</b>                | LED   |
| <b>Brightness</b>                  | 250 cd/m2   |
| <b>Colors</b>                      | 16.7M   |
| <b>Aspect Ratio</b>                | 16:9  |
| <b>Response Time (Typical GTG)</b> | 5ms   |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical  |
| <b>Backlight Life (Hours)</b>      | 30,000  |
| <b>Panel Surface</b>               | Anti-glare  |
| <b>PC Resolution (max)</b>         | 1920x1080@75Hz  |
| <b>Mac® Resolution (max)</b>       | 1920x1080@75Hz  |
| <b>3.5mm Audio In</b>              | 1   |
| <b>3.5mm Audio Out</b>             | 1   |
| <b>VGA</b>                         | 1   |
| <b>HDMI 1.4 In</b>                 | 1   |
| <b>Internal Speakers</b>           | 2W (x2)   |
| <b>Consumption (typical)</b>       | 26W   |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz  |
| <b>Stand-by</b>                    | 0.3W  |
| <b>Power Supply</b>                | Internal  |
| <b>Cable Organization</b>          | No  |
| <b>Kensington Lock Slot</b>        | 1   |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104° F (0 - 40° C)   |
| <b>Humidity (non-condensing)</b>   | 20-90%  |
| <b>Frequency Horizontal</b>        | HDMI (v1.4): 24 ~ 86 KHz  |
| <b>Frequency Vertical</b>          | HDMI (v1.4): 48 ~ 75 Hz   |
| <b>Net (lbs)</b>                   | 9.3   |

|                                     |  |
|-------------------------------------|--|
| <b>Net Without Stand (lbs)</b>      | 8.2  |
| <b>Gross (lbs)</b>                  | 20.7   |
| <b>Net (kg)</b>                     | 4.2  |
| <b>Net Without Stand (kg)</b>       | 3.7  |
| <b>Gross (kg)</b>                   | 9.4  |
| <b>Packaging (in.)</b>              | 26.8 x 18.1 x 5.9  |
| <b>Physical (in.)</b>               | 24.2 x 17.8 x 9.1  |
| <b>Physical Without Stand (in.)</b> | 24.2 x 14.5 x 1.9  |
| <b>Packaging (mm)</b>               | 680.0 x 459.0 x 151.0  |
| <b>Physical (mm)</b>                | 614.0 x 453.0 x 232.0  |
| <b>Physical Without Stand (mm)</b>  | 614.0 x 368.0 x 47.0   |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy, CB, RoHS                                       |
| <b>Package Contents</b>             | VA2747-MH, 3-pin Plug (IEC C13 / CEE22), HDMI Cable (v1.4; Male-Male), Quick Start Guide           |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                 |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |
| <b>Classification</b>               | Refurbished  |

UPC: 766907015027



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)