


## LDP216-251 - 216" ALL-IN-ONE PREMIUM FULL HD DIRECT VIEW LED DISPLAY

### Key Features

---

- Seamlessly Immersive
- Versatile Installation Orientation
- Super-Sized Video Walls
- Amazing Visuals
- Theater-Level Audio
- Simple and Easy Setup
- Peace of Mind
- Device Management Made Easy
- Wireless Content Sharing
- Easy Maintenance




216  
**DISPLAY**



Fine Pixel Pitch LED  
**PANEL**



1920x1080  
**RESOLUTION**



### Product Description

---

The ViewSonic® LDP216-251 All-in-One Direct View LED Display is a premium 216" larger-than-life digital screen that delivers an incredible audio-visual experience for any high-end corporate lobby, boardroom or conference room. Featuring a 120% Rec. 709 wide color gamut, lightning-fast 3,840Hz refresh rate, and a peak brightness of 600 nits, this display delivers true-to-life color and extraordinary detail for every video, presentation and lecture. The display is also equipped with Harman Kardon speakers, 4K/HDR/HLG support and PIP/PBP display modes for immersive content delivery. At 25mm slim and lined with a 5mm frameless edge, the sleek LDP216-251 exudes sophistication and elegance in any modern setting.


### Specifications

---

<b>UPC</b>	766907014976
<b>OS</b>	Android 9.0
<b>Media Player Type</b>	Yes
<b>CPU</b>	MTK9669
<b>Memory</b>	4GB DDR4
<b>Storage</b>	64GB (56GB available)
<b>Internal Speakers</b>	20W (x2)
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>HDMI 1.4 In</b>	2
<b>HDMI 2.0 In</b>	3
<b>HDMI 2.1 In</b>	1
<b>HDMI 2.0 Out</b>	2
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>USB 2.0</b>	3
<b>RS232</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDBaseT</b>	1
<b>IR in</b>	1
<b>Intel® OPS Slot In (80-pin)</b>	1
<b>Voltage</b>	100-120V/30A~ 50/60Hz or 220-240V/15A~ 50Hz(vary by country)
<b>Consumption (max)</b>	4900W
<b>Consumption (typical)</b>	3430W
<b>Stand-by</b>	<0.5W
<b>On Screen Display</b>	Yes
<b>Remote Control</b>	Yes
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-80%
<b>Net (lbs)</b>	640
<b>Gross (lbs)</b>	883
<b>Net (kg)</b>	290
<b>Gross (kg)</b>	400
<b>Packaging (in.)</b>	109.4 x 27.95 x 37
<b>Physical (in.)</b>	189.4 x 111 x 1
<b>Physical with Wall Mount (in.)</b>	189.4 x 111 x 2.2

<b>Packaging (mm)</b>	2780 x 710 x 940
<b>Physical (mm)</b>	4810 x 2820 x 25
<b>Physical with Wall Mount (mm)</b>	4810 x 2820 x 57
<b>Warranty</b>	3-year limited warranty on parts and labor, on-site service
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Package Contents</b>	Power Cord x 2, Remote Control x1, QSG x1, Maintenance Tool (LD-MK-001) x 1, LAN Cable (Cat 5A) x 1, IR Extender Cable x 1, Spart Modules (LED PCB x 7), Wall Mount x 1
<b>Regulations</b>	cTUVus, FCC, RoHS
<b>Wifi</b>	2.4G / 5G n
<b>Display Type</b>	Direct View LED
<b>Screen Size</b>	216
<b>Viewable Area (in.)</b>	216
<b>Light Source</b>	Fine Pixel Pitch LED
<b>LED Pitch Size (mm)</b>	2.5
<b>LED Grayscale</b>	14 bits
<b>Display Resolution</b>	1920 x 1080
<b>Refresh Rate</b>	4,440Hz
<b>Panel Type</b>	Fine Pixel Pitch LED
<b>Aspect Ratio</b>	16:9
<b>Static Contrast Ratio</b>	6,000:1
<b>Backlight Life (Hours)</b>	100,000
<b>Brightness</b>	600-nit
<b>Viewing Angles</b>	160° horizontal, 160° vertical
<b>Operation Rating</b>	24/7

UPC: 766907014976



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781 📞  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)