

X2-4K - 4K HDR DESIGNED FOR XBOX GAMING PROJECTOR - HIGH BRIGHTNESS, SHORT THROW, LED, SMART HOME, MOVIE THEATER

Key Features

- · Engineered for the Xbox
- Stunning Xbox-Native Resolution
- Xbox Control
- Ultra-Fast Refresh Rate
- · Portable Entertainment
- True 4K Ultra HD Resolution










60 - 120 in. / 1.5 - 3.0 m **DISPLAY**



PANEL



3840 x 2160 **RESOLUTION**



2,000 ANSI LUMENS AND 4K UHD RESOLUTION

Product **Description**

The ViewSonic® X2-4K LED Projector is the world's first projector designed for Xbox consoles.

Featuring image sizes up to an enormous 120", this projector delivers immersive entertainment on the largest Xbox gaming display available today.

The X2-4K projector supports up to 4K Ultra HD resolution and refresh rates up to 240Hz.

Harman Kardon speakers elevate audio soundtracks and help bring a breathtaking aural experience directly to your living room.

After undergoing a highly rigorous testing process, the X2-4K was designated by Microsoft as the world's first "Designed for Xbox" projector.

Play better and watch bigger with the X2-4K Xbox projector today.

Resolution Refresh Rate

1080p	240Hz
1440p	120Hz
4K	60Hz

Specifications

Light Source LED Display Resolution 4K (3840x2160) Display Resolution 3840 x 2160 Brightness (Lumens) 2,000 ANSI Screen Size 60 - 120 in. / 1.5 - 3.0 m Throw Distance 3 - 7 ft (100" @ 5 ft)	
Display Resolution Display Resolution 3840 x 2160 Brightness (Lumens) Screen Size 4K (3840x2160) 2,000 ANSI 60 - 120 in. / 1.5 - 3.0 m	
Display Resolution 3840 x 2160 Brightness (Lumens) 2,000 ANSI Screen Size 60 - 120 in. / 1.5 - 3.0 m	
Brightness (Lumens) 2,000 ANSI Screen Size 60 - 120 in. / 1.5 - 3.0 m	
Screen Size 60 - 120 in. / 1.5 - 3.0 m	
Throw Distance 3 - 7 ft (100" @ 5 ft)	
Throw Ratio 0.69-0.83	
Keystone Vertical (+/- 40º) / Horizont	al (+/- 40º)
Lens 1.2x optical zoom	
Light Source (watt) RGB LED	
Light Source Life, Normal (hours) 60,000	
Color Depth 1.07 Billion Colors	
Dynamic Contrast Ratio 3,000,000:1	
Aspect Ratio 16:9	
Input Lag 4.2ms	
Frequency Horizontal 15K~135KHz	
Frequency Vertical 23-240Hz	
PC Resolution (max) 3840 x 2160	
PC Resolution (min) 640 x 480	
Mac® Resolution (max) 3840 x 2160	
Mac® Resolution (min) 640 x 480	
USB 2.0 Type A 1	
USB Type C 1	
3.5mm Audio Out	
Control (RS232)	
HDMI 1.4 In 1	
HDMI 2.0 In 1	
Wifi 5Gn	

1 (BT4.2) **Bluetooth Audio-in Bluetooth Audio-out** 1 (BT4.2) **Internal Speakers** 6W (x2) 100-240V+/- 10%, 50/60Hz AC Voltage Consumption (typical) 236W Stand-by <0.5W **Physical Controls** Keypad, Power key Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD **On Screen Display** functionality) 32-104º F (0 - 40º C) **Temperature** 1 **Kensington Lock Slot** Net (lbs) 7.9 Gross (lbs) 12.1 Net (kg) 3.6 Gross (kg) 5.5 19.3 x 14.8 x 12.3 Packaging (in.) 13.9 x 9.9 x 4.8 Physical (in.) Packaging (mm) 490 x 376 x 313 Physical (mm) 355 x 251 x 121 Regulations cTUVus **Package Contents** X2-4K projector, power cable, remote control, Quick Start Guide Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Warranty Exchange® service. (One year Express Exchange Service requires product registration).

UPC: 766907019551







Contact Sales ViewSonic.com 888.881.8781

email: salesinfo@viewsonic.com