

## VX3267U-2K - 32" 1440P IPS MONITOR WITH 65W USB-C, HDMI, DP AND HDR10


### Key Features

---


- 32 inch QHD (2560x1440p) IPS monitor with thin bezels
- USB-C connectivity for fast data, audio and video transfer and 65W charging over a single cable
- HDR10 content support for deep contrast, rich colors and vibrant details
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- The VX3267U-2K supports laptops, PCs, and Macs with USB-C, HDMI and DisplayPort inputs



32  
DISPLAY



IPS  
PANEL



2560 x 1440  
RESOLUTION



### Product Description

---

Whether you're looking to work with greater clarity or experience entertainment in a whole new light, the ViewSonic® VX3267U-2K 32" monitor takes your viewing experience to a new level of immersion. This 2K monitor uses state-of-the-art IPS panel technology to deliver stunning visuals with ultra-wide viewing angles. Enjoy 2560 x 1440 resolution on a bezel-free, ultra-wide display for an edge-to-edge viewing experience unlike anything you've ever seen. Immerse yourself in vibrant true-to-life colors and enhanced contrast thanks to HDR10 content support. This powerful home office monitor features USB 3.2 Type-C connectivity for video, audio, data and up to 65W of charging power over a single cable. Connect additional devices via HDMI and DisplayPort inputs.


### Specifications

---

<b>UPC</b>	766907021035
<b>Screen Size</b>	32
<b>Viewable Area (in.)</b>	31.5
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	QHD (2560x1440)
<b>Static Contrast Ratio</b>	1,200:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 Bit
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	4ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>Refresh Rate</b>	75Hz
<b>PC Resolution (max)</b>	2560 x 1440
<b>Mac® Resolution (max)</b>	2560 x 1440
<b>USB Type C</b>	65W x 1
<b>3.5mm Audio Out</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2.5W (x2)
<b>Eco Mode (Conserve)</b>	20W
<b>Eco Mode (optimized)</b>	24W
<b>Consumption (typical)</b>	28W
<b>Consumption (max)</b>	42W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI: 31 ~ 115 KHz, DisplayPort: 31 ~ 115 KHz, USB Type C: 31 ~ 115 KHz
<b>Frequency Vertical</b>	HDMI: 48 ~ 76 Hz, DisplayPort: 48 ~ 76 Hz, USB Type C: 48 ~ 76 Hz
<b>Digital Sync</b>	TMDS for HDMI, PCI-E for DP / Mini DP
<b>Tilt (Forward/Back)</b>	5° / 20°
<b>Net (lbs)</b>	15.0
<b>Net Without Stand (lbs)</b>	13.6
<b>Gross (lbs)</b>	20.3
<b>Net (kg)</b>	6.8
<b>Net Without Stand (kg)</b>	6.2
<b>Gross (kg)</b>	9.2
<b>Packaging (in.)</b>	30.2 x 20.1 x 4.9
<b>Physical (in.)</b>	28.1 x 19.6 x 9.2
<b>Physical Without Stand (in.)</b>	28.1 x 16.8 x 2.3
<b>Packaging (mm)</b>	766.0 x 510.0 x 125.0
<b>Physical (mm)</b>	714.0 x 499.0 x 232.0
<b>Physical Without Stand (mm)</b>	714.0 x 427.0 x 59.0
<b>Regulations</b>	cTUVus, FCC-B with ICES003, MX-CoC, Mexico Energy
<b>Package Contents</b>	VX3276-2K-mhd Display, Power Cable, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907021035



**Contact Sales**  
**[ViewSonic.com](http://ViewSonic.com)**  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)