


VX3267U-4K - 32" 4K UHD IPS MONITOR WITH 65W USB-C, HDMI, DP AND HDR10

Key Features


- 32 inch 4K UHD (3840 X 2160) IPS monitor with thin bezels
- USB-C connectivity for fast data, audio and video transfer and 65W charging over a single cable
- HDR10 content support for deep contrast, rich colors and vibrant details
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- The VX3267U-4K supports laptops, PCs, and Macs with USB-C, HDMI and DisplayPort inputs







PANEL



3840 X 2160 **RESOLUTION**



Product **Description**

Whether you're looking to work with greater clarity or experience entertainment in a whole new light, the ViewSonic® VX3267U-4K 32" monitor takes your viewing experience to a new level of immersion. This 4K UHD monitor uses state-of-the-art IPS panel technology to deliver stunning visuals with ultra-wide viewing angles. Enjoy 3840 x 2160 resolution on a bezel-free, ultra-wide display for an edge-to-edge viewing experience unlike anything you've ever seen. Immerse yourself in vibrant true-to-life colors and enhanced contrast thanks to HDR10 content support. This powerful home office monitor features USB 3.2 Type-C connectivity for video, audio, data and up to 65W of charging power over a single cable. Connect additional devices via HDMI and DisplayPort inputs.

Specifications

| UPC | 766907021042 |
|-----------------------------|--|
| Screen Size | 32 |
| Viewable Area (in.) | 31.5 |
| Panel Type | IPS |
| Display Resolution | 3840 x 2160 |
| Display Resolution | 4K (3840x2160) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |
| Light Source | LED |
| Brightness | 350 cd/m2 |
| Colors | 1.07B |
| Color Space Support | 8 bit + A-FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 4ms |
| Viewing Angles | 178º horizontal, 178º vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-glare, hard-coating (3H) |
| Refresh Rate | 60Hz |
| PC Resolution (max) | 3840 X 2160 |
| Mac® Resolution (max) | 3840 X 2160 |
| USB Type C | 65W x 1 |
| 3.5mm Audio Out | 1 |
| HDMI 2.0 In | 1 |
| DisplayPort | 1 |
| Internal Speakers | 2.5W (x2) |
| Eco Mode (Conserve) | 28W |
| Eco Mode (optimized) | 35W |
| Consumption (typical) | 44W |
| Consumption (max) | 47W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | External |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power) |
| | |

| Temperature | 32-104º F (0 - 40º C) |
|------------------------------|--|
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | HDMI: 15 \sim 140 KHz, DisplayPort: 24 \sim 140 KHz, USB Type C: 24 \sim 140 KHz |
| Frequency Vertical | HDMI: 24 \sim 75 Hz, DisplayPort: 48 \sim 75 Hz, USB Type C: 48 \sim 75 Hz |
| Digital Sync | TMDS for HDMI, PCI-E for DP / Mini DP |
| Tilt (Forward/Back) | 5º / 20º |
| Net (lbs) | 17.2 |
| Net Without Stand (lbs) | 13.4 |
| Gross (lbs) | 22.0 |
| Net (kg) | 7.8 |
| Net Without Stand (kg) | 6.1 |
| Gross (kg) | 10.0 |
| Packaging (in.) | 30.2 x 20.1 x 4.9 |
| Physical (in.) | 28.1 x 19.6 x 9.2 |
| Physical Without Stand (in.) | 28.1 x 16.8 x 2.3 |
| Packaging (mm) | 766.0 x 510.0 x 125.0 |
| Physical (mm) | 714.0 x 499.0 x 232.0 |
| Physical Without Stand (mm) | 714.0 x 427.0 x 59.0 |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, NOM, Mexico Energy |
| Package Contents | VX3267U-4K Display, Power Adapter, HDMI Cable, USB Type C cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907021042







Contact Sales ViewSonic.com

888.881.8781 email: salesinfo@viewsonic.com