


VX2485-MHU-S


## Key Features

---


- Reduce Clutter with Single-Cable Solution
- Accurate from All Angles: SuperClear IPS Technology
- Increased Comfort with Easy Swivel Stand
- Smooth & Fluid Gaming: AMD FreeSync™ Technology
- Vivid Visuals within a Frameless Design



24  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**



## Product Description

---

Designed for the modern-day home office, the ViewSonic® VX2485-mhu is a 24" Full HD IPS monitor that combines style with optimal versatility and functionality. Whether for gaming, streaming, or editing, these sleek and slim displays are engineered with the everyday user in mind. Equipped with AMD FreeSync™ technology\*, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for a smoother viewing experience. With a three-sided borderless design, thin profile, and thoughtful cable management features, this display transforms the desktop into a streamlined and clutter-free workspace. What's more, a unique ergonomic stand allows you to easily tilt and swivel the screen for maximum comfort. The latest USB 3.2 Type-C connectivity delivers charging power, video, and audio over a single cable, while HDMI and VGA inputs keep you connected to your favorite devices.

\*AMD FreeSync supported via HDMI only

# Specifications

	More Information
UPC	766907007503
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + A-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	75Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB 3.2 Gen 1 Type C	1
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	13W
Eco Mode (optimized)	16W
Consumption (typical)	18W
Consumption (max)	94W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W

<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104º F (0 - 40º C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI (v1.4): 16 ~ 84 KHz, USB Type C: 84 ~ 84 KHz
<b>Frequency Vertical</b>	HDMI (v1.4): 48 ~ 76 KHz, USB Type C: 48 ~ 76 KHz
<b>Digital Sync</b>	TMDS for HDMI (v1.4). Micro-Packet for USB Type C.
<b>Swivel</b>	30º
<b>Tilt (Forward/Back)</b>	5º / 20º
<b>Net (lbs)</b>	9.3
<b>Net Without Stand (lbs)</b>	5.9
<b>Gross (lbs)</b>	12.8
<b>Net (kg)</b>	4.2
<b>Net Without Stand (kg)</b>	2.7
<b>Gross (kg)</b>	5.8
<b>Packaging (in.)</b>	24.6 x 16.1 x 4.9
<b>Physical (in.)</b>	21.2 x 15.9 x 9.8
<b>Physical Without Stand (in.)</b>	21.2 x 12.7 x 2.0
<b>Packaging (mm)</b>	624.0 x 410.0 x 125.0
<b>Physical (mm)</b>	540.0 x 404.0 x 250.0
<b>Physical Without Stand (mm)</b>	540.0 x 322.0 x 50.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NRCan, MX-CoC, Mexico Energy
<b>Package Contents</b>	VX2485-mhu, AC/DC Power Adapter, HDMI Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Classification</b>	Refurbished

UPC: 766907007503



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)