

M2-S

Key Features


- 1080p Full HD
- Cinema SuperColor+
- Harman Kardon Speakers
- Easy Screen Mirroring
- Horizontal and Vertical Keystone Correction
- Software Updates via Mini USB




24 - 100 in. / 0.6 - 2.54 m
DISPLAY



PANEL



1920 x 1080
RESOLUTION



Product Description

Ideal for business travelers on the go, the ViewSonic® M2 portable Full HD LED projector delivers power and performance in a portable package. Compact and lightweight, the ViewSonic M2 can be carried from office-to-office, or slipped into a briefcase or backpack and taken on the road. For convenient presentations and content sharing, a wireless screen mirroring feature allows users to easily cast content from a mobile device to the projector. The M2 projector features a shorter throw lens that can display large images in small spaces, while its LED light source provides over 30,000 hours* of usage time and 1,200 lumens of brightness. An adjustable kickstand design delivers simple and quick setup for easy projection in nearly any environment. An integrated Micro SD card slot and USB Type-A reader port allow users to display documents, videos, and other multimedia without having to connect to a PC. And for fast data, audio, video, and charging over a single cable, there's a USB Type-C port. For more immersive multimedia presentations, dual Harman Kardon speakers deliver room-filling sound to keep audiences engaged.


*Light source lifespan may vary based on actual usage and other factors.

Specifications

	More Information
UPC	766907007794
Light Source	DLP LED
Display Resolution	Full HD (1920x1080)
Display Resolution	1920 x 1080
Brightness (Lumens)	1,200 LED
Screen Size	24 - 100 in. / 0.6 - 2.54 m
Throw Distance	2.1 - 8.9 ft / 0.6 - 2.7 m
Throw Ratio	1.23
Keystone	Vertical (± 30°) / Horizontal (± 30°)
Light Source (watt)	RGBB LED
Light Source Life, Normal (hours)	30000
Color Depth	1.07B Color (R/G/B 10bit)
Aspect Ratio	16:9
Input Lag	37ms
Frequency Horizontal	30K-97KHz
Frequency Vertical	24-85Hz
PC Resolution (max)	1920 x 1080
PC Resolution (min)	640 x 480
Mac® Resolution (max)	1920 x 1080
Mac® Resolution (min)	640 x 480
USB 3.0 Type A	2
USB 3.1 Type C	1
3.5mm Audio Out	1
HDMI 2.0 (with HDCP 2.2)	1
Micro USB	1
Internal Speakers	3W (x2)
Consumption (typical)	74W
Stand-by	<0.5W
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	0-90%
Kensington Lock Slot	1

Net (lbs)	2.9
Gross (lbs)	6.9
Net (kg)	1.3
Gross (kg)	3.2
Physical (in.)	8.8 x 2.9 x 8.8
Packaging (mm)	384.0 x 381.0 x 287.0
Physical (mm)	261.0 x 166.0 x 271.0
Regulations	FCC, cTUVus, ROHS
Package Contents	M2 projector, carrying case, power cable, USB-C cable, remote control, Quick Start Guide
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Classification	Refurbished
Portability	Portable

UPC: 766907007794



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com