



## VX2718-PC-MHD - 27" OMNI CURVED 1080P 1MS 165HZ GAMING MONITOR WITH FREESYNC PREMIUM

### Key Features

---


- 27 Inch Full HD (1920x1080p) 1500R curved gaming monitor with thin bezels
- 165Hz refresh rate and 1ms MPRT response time (with DisplayPort) for ultimate gaming experience
- AMD FreeSync Premium technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- The VX2718-PC-MHD supports laptops, PCs and Macs with HDMI and DisplayPort inputs



27  
**DISPLAY**



MVA  
**PANEL**



1920x1080  
**RESOLUTION**



### Product Description

---

With an immersive 1500R curved screen and Full HD 1080p resolution, the ViewSonic® VX2718-PC-MHD monitor provides an incredible viewing experience for work or play. With features including a high 165Hz\* refresh rate, 1ms (MPRT) response time and FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX2718-PC-MHD also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. Two HDMI (v1.4) inputs, and one DisplayPort (v1.2) input offers flexible connectivity for both general use and entertainment. \*165Hz refresh rate with DisplayPort

# Specifications

	More Information
UPC	766907007299
Screen Size	27
Viewable Area (in.)	27
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit+FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Curvature	1500R
Refresh Rate	165Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	17W
Eco Mode (optimized)	21W
Consumption (typical)	27W
Consumption (max)	30W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No

<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Key 1 (power), Key 2, Key 3, Key 4, Key 5 (favorite)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104º F (0 - 40º C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	75 x 75 mm
<b>Frequency Horizontal</b>	HDMI (v1.4): 30 ~ 160 KHz, DisplayPort (v1.2): 30 ~ 193 KHz
<b>Frequency Vertical</b>	HDMI (v1.4): 48 ~ 144 Hz, DisplayPort (v1.2): 48 ~ 165 Hz
<b>Digital Sync</b>	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2)
<b>Tilt (Forward/Back)</b>	5º / 20º
<b>Net (lbs)</b>	8.6
<b>Net Without Stand (lbs)</b>	7.3
<b>Gross (lbs)</b>	12.1
<b>Net (kg)</b>	3.9
<b>Net Without Stand (kg)</b>	3.3
<b>Gross (kg)</b>	5.5
<b>Packaging (in.)</b>	27.0 x 17.4 x 6.1
<b>Physical (in.)</b>	24.0 x 18.7 x 8.8
<b>Physical Without Stand (in.)</b>	24.0 x 14.3 x 2.9
<b>Packaging (mm)</b>	687.0 x 443.0 x 156.0
<b>Physical (mm)</b>	611.0 x 475.0 x 225.0
<b>Physical Without Stand (mm)</b>	611.0 x 363.0 x 75.0
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy
<b>Package Contents</b>	VX2718-PC-MHD, Power Cable, AC/DC Adapter, DisplayPort Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
UPC: 766907007299	



## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)