


## PX748-4K - 4K UHD PROJECTOR WITH 4000 LUMENS, 240HZ, 4.2MS FOR HOME THEATER AND GAMING


### Key Features

---


- High brightness 4000 Lumens 4K UHD projector with high contrast ratio and advanced visual features
- Experience gaming on the big screen with 4.2ms low input lag and a magnificent 240Hz refresh rate
- With a 1.3x optical zoom, anti-warping stabilization and auto H/V keystone, you can project on flat and curved surfaces
- With the ability to decode HDR video signals, this projector delivers incredibly detailed video playback
- Supports media players, gaming consoles, PCs, Macs, and mobile devices with inputs like HDMI, USB C, RJ45, 12V Trigger



30 - 300 in. / 0.76 - 7.62 m  
**DISPLAY**




**PANEL**



3840 x 2160  
**RESOLUTION**

Go Big Even in Small Spaces



\*Project screen sizes up to 300"

### Product Description

---

With incredible Ultra HD resolution, HDR/HLG support, and a high brightness of 4,000 ANSI lumens, the ViewSonic PX748-4K projector delivers stunning home entertainment around the clock: day or night, in bright rooms or dark. With an ultra-low 4.2ms input lag, 240Hz refresh rate, and USB-C connectivity for direct streaming from gaming consoles such as the Nintendo® Switch, this projector provides a whole new level of gaming. Set-up is a breeze too: 1.3x optical zoom, warping capabilities, and H/V keystone allow for more flexible mounting and easy installation with screen sizes up to 300" on nearly any surface. What's more, LAN control compatibility and a 12V trigger make this projector a perfect addition to any smart home.


### Specifications

---

<b>UPC</b>	766907008951
<b>Light Source</b>	DLP Lamp
<b>Display Resolution</b>	4K (3840x2160)
<b>Display Resolution</b>	3840 x 2160
<b>Brightness (Lumens)</b>	4,000 ANSI
<b>Screen Size</b>	30 - 300 in. / 0.76 - 7.62 m
<b>Throw Distance</b>	0.75m~9.76m (100"@2.50m)
<b>Throw Ratio</b>	1.13-1.47
<b>Keystone</b>	Vertical (+/- 40º) / Horizontal (+/- 40º)
<b>Lens</b>	1.3x optical zoom
<b>Light Source (watt)</b>	240
<b>Light Source Life, Normal (hours)</b>	4000
<b>Light Source Life, Dynamic Eco-Mode (hours)</b>	20000
<b>Color Depth</b>	1.07B Color (R/G/B 10bit)
<b>Dynamic Contrast Ratio</b>	12,000:1
<b>Aspect Ratio</b>	16:9
<b>Input Lag</b>	37ms
<b>Frequency Horizontal</b>	15K-129KHz
<b>Frequency Vertical</b>	23-240Hz
<b>PC Resolution (max)</b>	3840 x 2160
<b>Mac® Resolution (max)</b>	3840 x 2160
<b>USB 2.0 Type A</b>	1
<b>USB 3.1 Type C</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>3.5mm 12V Trigger</b>	1
<b>3.5mm Audio Out</b>	1
<b>Control (RS232)</b>	1
<b>HDMI 2.0 (with HDCP 2.2)</b>	2
<b>Internal Speakers</b>	10W (x1)
<b>Voltage</b>	100-240V+/- 10%, 50/60Hz AC
<b>Consumption (typical)</b>	310W
<b>Stand-by</b>	<0.5W
<b>Physical Controls</b>	Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source
<b>On Screen Display</b>	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
<b>Temperature</b>	32-104º F (0 - 40º C)

<b>Humidity (non-condensing)</b>	0-90%
<b>Kensington Lock Slot</b>	1
<b>Net (lbs)</b>	6.2
<b>Gross (lbs)</b>	8.8
<b>Net (kg)</b>	2.8
<b>Gross (kg)</b>	4.0
<b>Packaging (in.)</b>	16.3 x 6.6 x 11.7
<b>Physical (in.)</b>	12.2 x 8.7 x 4.3
<b>Packaging (mm)</b>	415.0 x 168.0 x 297.0
<b>Physical (mm)</b>	312.0 x 222.0 x 108.0
<b>Regulations</b>	FCC, cTUVus, ROHS
<b>Package Contents</b>	Projector, power cable, remote control, USB-C Cable, Quick Start Guide
<b>Warranty</b>	Three-year limited warranty on parts and labor, 1-year limited warranty on lamp, 1st year free Express Exchange® service. (One year Express Exchange Service requires product registration).
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.

UPC: 766907008951



## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)