

VA2715-2K-MHD - 27" 1440P LED MONITOR WITH HDMI, DISPLAYPORT AND ADAPTIVE SYNC

Key Features

- 27 Inch 2K WQHD (2560x1440p) LED monitor with thin bezels and 75Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- VESA Adaptive Sync technology enables smooth frame rates to aid you in battle
- Optimized view settings offer "Game," "Movie," "Web," "Text," and "Mono" presets
- The VA2715-2K-MHD supports laptops, PCs, Macs and more with HDMI and DisplayPort inputs



27
DISPLAY



MVA
PANEL



2560x1440
RESOLUTION



- 2x 2-watt integrated speakers
- 100x100mm VESA compatible mount
- x2 HDMI 1.4
- x1 DisplayPort In
- x1 Audio (Out)

FUTURE-PROOF INPUTS
For flexible connectivity

Product Description



The ViewSonic® VA2715-2K-MHD is a 27" WQHD monitor that delivers solid multimedia features at a great value with flexible connectivity, wide-angle viewing, and amazing screen performance. Featuring 2560 x 1440 resolution and a frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. Whether for working at the office, or enjoying entertainment at home, the VA2715-2K-MHD also features DisplayPort and HDMI ports for flexible connectivity to PCs, laptops, and other multimedia devices. In addition, a 3-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2715-2K-MHD a great overall value choice.

Specifications

UPC	766907014662
Screen Size	27
Viewable Area (in.)	27
Panel Type	MVA
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (GTG w/OD)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	75Hz
PC Resolution (max)	2560x1440
Mac® Resolution (max)	2560x1440
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	19W
Eco Mode (optimized)	24W
Consumption (typical)	29W
Consumption (max)	31W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%

VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 120KHz
Frequency Vertical	24 ~ 75Hz
Tilt (Forward/Back)	5° / 20°
Net (lbs)	7.9
Net Without Stand (lbs)	6.8
Gross (lbs)	11.0
Net (kg)	3.6
Net Without Stand (kg)	3.1
Gross (kg)	5.0
Packaging (in.)	27.1 x 17.6 x 5.0
Physical (in.)	24.1 x 18.0 x 8.1
Physical Without Stand (in.)	24.1 x 14.2 x 1.6
Packaging (mm)	688.0 x 448.0 x 128.0
Physical (mm)	613.0 x 456.0 x 205.0
Physical Without Stand (mm)	613.0 x 361.0 x 40.0
Regulations	RoHS, WEEE, BSMI, RCM, VCCI, PSE
Package Contents	VA2715-2K-MHD x1, HDMI Cable (v1.4; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907014662



WQHD (2560x1440p) RESOLUTION

Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com