





VX1655 - 15.6" 1080P PORTABLE MONITOR WITH 60W USB C AND MINI HDMI

Key Features


- 15.6 Inch FHD (1920x1080p) LED portable gaming monitor with 60Hz refresh rate and protective case
- With a weight of 1.7 lbs and a thickness of 0.8 in, this portable monitor slips easily into backpacks and purses
- USB-C connectivity for fast data, audio and video transfer, and 2 way powered 60W USB C charging.
- Comes with a built-in stand with an integrated tripod mount
- The VX1655 supports laptops, PCs, and Apple/Mac operating systems and more with Mini-HDMI, and USB-C inputs




16
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® VX1655 is a 15.6" portable monitor with 1080p resolution for incredible visual performance on the go. An ultra-thin panel with the hardware integrated into the kickstand provides incredible stability, discreetly hides cable connectivity, and still allows for use in portrait and landscape modes. A convenient tripod mount is integrated into the stand for additional versatility. In addition, versatile connectivity options include two USB-C ports for 2-way charging, as well as mini-HDMI and a headphone jack. Measuring less than an inch thick and weighing under two pounds, the ultra-slim VX1655 perfectly fits into any bag, briefcase, or backpack so you can work wherever life takes you.

Specifications

More Information

UPC

766907022728

| | |
|------------------------------------|---|
| Screen Size | 16 |
| Viewable Area (in.) | 15.6 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 800:1 |
| Dynamic Contrast Ratio | 80,000,000:1 |
| Brightness | 250 cd/m2 |
| Colors | 262K |
| Color Space Support | 6 bit true |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 4ms |
| Viewing Angles | 170º horizontal, 170º vertical |
| Backlight Life (Hours) | 15,000 |
| Panel Surface | Glossy |
| Refresh Rate | 60Hz |
| PC Resolution (max) | 1920 x 1080 |
| Mac® Resolution (max) | 1920 x 1080 |
| USB Type C | 60W x 2 |
| 3.5mm Audio Out | 1 |
| Mini HDMI 1.4 | 1 |
| Internal Speakers | 0.8W (x2) |
| Eco Mode (Conserve) | 7w |
| Eco Mode (optimized) | 8w |
| Consumption (typical) | 11w |
| Consumption (max) | 10w |
| Stand-by | 0.5w |
| Power Supply | External |
| Cable Organization | No |
| Physical Controls | Up, Right, Down, Left, Power |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104º F (0 - 40º C) |
| Humidity (non-condensing) | 20-90% |
| Frequency Horizontal | mini HDMI 1.4: 15 ~ 82 KHz USB Type C: 23 ~ 83 KHz |
| Frequency Vertical | mini HDMI 1.4: 48 ~ 60 Hz USB Type C: 48 ~ 60 Hz |
| Tilt (Forward/Back) | 0º - 86º |

| | |
|-------------------------|--|
| Net (lbs) | 1.7 |
| Gross (lbs) | 4 |
| Net (kg) | 0.77 |
| Gross (kg) | 1.8 |
| Packaging (in.) | 16.5 x 15.5 x 3.0 |
| Physical (in.) | 14.0 x 8.8 x 0.8 |
| Packaging (mm) | 418.0 x 393.0 x 77.0 |
| Physical (mm) | 355.0 x 224.0 x 21.0 |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy |
| Package Contents | LCD Display, mini HDM Ito HDMI Cable, USB type-C to type-C cable, Cover, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907022728



Contact Sales
ViewSonic.com
 888.881.8781 
 email:
salesinfo@viewsonic.com