




El nuevo VA1903a de ViewSonic es una pantalla panorámica ecológica de 19 " (18.5 " visible) que cuenta con retroiluminación LED, lo que proporciona un ahorro de energía de hasta el 40%. Con una resolución HD de 1366 x 768, un tiempo de respuesta de 5ms y un sistema de montaje VESA, el VA1903a es ideal tanto para el hogar como para oficina. La gestión del color de la pantalla garantiza el nivel de blanco más preciso para la representación de la imagen, lo que permite a los usuarios adaptar diferentes ajustes de temperatura de color para crear condiciones de trabajo más cómodas. Además, el modo ECO para ahorro de energía reduce el coste de propiedad, por lo que el VA1903a es la mejor opción tanto para clientes corporativos como educativos.

Tamaño de pantalla de 16:9 optimizada para contenido HD

Equipado con una relación de aspecto de 16:9 y resolución nativa de 1366x768, este monitor está diseñado para realizar múltiples tareas y mejorar la productividad en el lugar de trabajo o en el hogar.



El modo ecológico conserva más energía y reduce los costes

La característica de ahorro de energía ecológica exclusiva de ViewSonic está incorporada en todos los monitores LED ViewSonic. El modo ecológico ajusta el brillo y mejora la visibilidad, al tiempo que reduce la fatiga ocular y prolonga la vida útil de la lámpara del monitor. Con Eco-mode, la vida útil de la retroiluminación LED también aumenta en gran medida.

100%

75%

50%



Eco-mode



Diseño compatible con montaje VESA

Monte el monitor como mejor le parezca usando su conveniente diseño de montaje de 75 x 75 mm VESA.



Technical Specifications

LCD PANEL

Type	19" (18.5" Viewable) TN Type, a-si TFT Active Matrix LCD
Display Area	409.8mm (H) x 230.4mm (V)
Resolution	1366 x 768 @ 60Hz
Brightness	200 cd/m2 (Typ)
Contrast Ratio	600:1 (typ) 450:1(min)
Dynamic Contrast Ratio	N/A
Viewing Angles	90 grados / 65 grados (Typ)
Response Time	Tr+Tf=5ms (Typ)
Backlight	1 WLED light bar

Backlight Life	30,000 Hrs (Min)
Colours	16.7M (6 bit with 2bit Hi-FRC)
Colour Gamut	72% NTSC (typ)
Panel Surface	Tipo antideslumbrante, Recubrimiento duro (3H), Haze 25%

INPUT SIGNAL	Frequency	Fh = 24 ~82 kHz ; Fv = 50 ~75 Hz
	Sync	Sincronización separada

COMPATIBILITY	PC	PC compatible (VGA hasta 1366x768 no entrelazado)
	Mac®	Power Mac (hasta 1366x768)

CONNECTOR	Digital	N/A
	Analog	DB-15 x1
	Audio Out	N/A
	Audio In	N/A

SPEAKERS	N/A
-----------------	-----

USB	N/A
------------	-----

WEBCAM	N/A
---------------	-----

POWER	Power	Tarjeta de alimentación interna, enchufe de 3 pines (CEE22) x1
	Voltage	AC 100-240V (Universal); 50/60 Hz
	Consumption	15.3 W
	Optimize	12.5 W
	Conserve	9.5 W

ERGONOMICS	Tilt: -3 ~ 18 grados
-------------------	----------------------

SPECIAL FEATURES	cuidado de los ojos, viewmode
-------------------------	-------------------------------

WALL MOUNT	VESA®	75 mm x 75 mm
-------------------	-------	---------------

OPERATING CONDITIONS	Temperature (° F / ° C)	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)

DIMENSIONS (W x H x D) (mm)	Physical with stand (mm)	437.80mm (W) x 344.10mm (H) x 170.37mm (D)
	Physical without stand (mm)	437.80mm (W) x 271.39mm (H) x 48.00mm (D)
	Packaging (mm)	502mm (W) x 349mm (H) x 105mm (D)

WEIGHT	Net with stand (kg)	2.0kg
	Net without stand (kg)	1.8kg

Gross (kg) 2.9kg

REGULATIONS

Global: WEEE, RoHS, REACH

WARRANTY

* La garantía ofrecida puede diferir de mercado en mercado

PACKAGE CONTENTS

Pantalla LCD
Cable de alimentación (1.5 m)
Cable de video D-Sub (1.5m)
Guía de inicio rápido
* El contenido real puede diferir de un mercado a otro

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.