

True-to-life image quality offers design professionals a better display solution

ViewSonic[®]
See the difference™ 

VP2772



ViewSonic's VP2772 is a 27" (27" viewable) ultra-high resolution display with 2560x1440 WQHD resolution and 10-bit colour. It smoothly processes, grades and renders 1.07 billion colours and grayscales with its advanced 12-bit colour engine and 14-bit LUT. Covering 99% of the Adobe RGB colour space, it meets the high colour standards of photographers, graphic designers, video editors, print departments and other design professionals. Ergonomically designed with tilt, pivot, swivel and height adjustments to create a more comfortable and efficient working environment. Delta E<3 and SuperClear™ IPS offer wide viewing angles and accurate and consistent colour performance. Equipped with dual DisplayPort inputs and one DisplayPort output, it allows one image source to be shown simultaneously on multiple daisy-chained displays without any difference in colour. Plus, HDMI, DVI inputs and 4 USB3.0 ports let users connect with multimedia and storage devices.




2560x1440 WQHD resolution brings ultra-high definition images into focus

Designed with ultra-high definition desktop publishing applications in mind, the VP2772 boasts 2560x1440 WQHD resolution for incredible true-to-life image quality that defines screen images in greater details. Perfect as an up-market monitor for image artwork and video production, the VP2772 produces pixel-perfect details, and its larger size improves the efficiency of design professionals.



SuperClear™ IPS LEDs with extremely wide viewing angles


ViewSonic SuperClear™ IPS displays perform true colours and consistent images when viewed from the front, from the sides, from below, and from virtually any other viewing angle. No matter your perspective, you will not have any colour shifting when you change your viewing angle.



See 99% of the AdobeRGB wide colour space

ADOBERGB

Make sure all your graphic design work is displayed with the fullest colour and details during presentations, at exhibitions, in work spaces or at the office. With the capability to accurately display 99% of the rich, true colours of the Adobe RGB colour space, what you see is what you get. This means your original high-resolution images are depicted as accurately as possible – in the high-definition format in which they were saved. This feature makes this display extremely well suited to CAD/CAM drawing, graphic design work, publishing, media creation and more.





No colour distortion between monitors with Delta E ≤ 3 colour accuracy

With Delta E ≤ 3 colour accuracy, image colours captured by your camera are accurately reproduced on your display – and on daisy-chained displays – with absolutely no colour differences. During production, each of our displays is calibrated by technicians so that the colour on each display meets the Delta E standard of 3.



12-bit colour engine reproduces true-to-life colours

ViewSonic's new WQHD displays use a 12-bit colour engine with 14-bit LUT to handle image colour render and display. The 12-bit colour engine processes 12-bit input signals without reducing the signal quality – ensuring true-to-life image quality. And its 14-bit LUT provides smoother colour gradations to seamlessly render colours and showcase your work's true potential.





Dual DisplayPort Input for Daisy Chain

DISPLAYPORT

Best-in-class 3-DisplayPort connectivity lets you add extra screens. Boasting multiple DisplayPorts – 2 DisplayPort inputs and 1 DisplayPort output – this best-in-class monitor provides more consistent colour performance that professionals require across multiple linked screens. DisplayPort is the preferred connector for high-definition WQHD content, and with this input/output configuration there is no loss in image quality. You will see high-resolution images on multiple screens and increase efficiency and productivity.



Ergonomic, adjustable design for improved comfort and productivity

ViewSonic's VP2772 display's flexible ergonomic design includes 120° swivel, 90° pivot, 0-150mm height and -5° to 23° tilt adjustments. Its fully functional ergonomic design offers an extensive range of display options to suit any working environment, keeping users comfortable and enhancing productivity.



HDMI for Full HD Content Connectivity

ViewSonic's high-performance LED monitor is equipped with HDMI input for high definition connectivity to set-top box, Blu-ray disc and Full HD camcorder devices, for trouble-free application in graphic design and video production environments.



USB

4 Sets of USB Ports Provide Flexible Connectivity

ViewSonic's high-performance LED monitor integrates a total of 4 sets of USB ports, including 4 USB3.0, for flexible connectivity of USB devices. The ports deliver easy connectivity to diversified storage devices, peripherals, and high definition electronics.



Ajuste del color

El sistema de gestión de color incorporado de ViewSonic mantiene normas estrictas para la temperatura de color y la corrección de balance de blancos para garantizar el nivel de blancos más exacto para la representación de la imagen. Los diferentes ajustes de color OSD (azulado, fresco, nativo, caliente) le permiten seleccionar la temperatura de color que desee en la pantalla.



Rendimiento del pixel garantizado + Garantía limitada a 3 años

Uno de los aspectos que convierten a ViewSonic en líder de mercado de soluciones de visualización es su dedicación a la calidad. ViewSonic se compromete a utilizar los paneles de más alta calidad ofreciendo garantía 0 píxeles.

Rendimiento del pixel	Monitores LED
ISO9241-3: 2008 Standard	2 Brillo 2 Oscuro 5 Total
Garantía ViewSonic Pixel	0 Brillo 0 Oscuro 0 Total

Technical Specifications

LCD	Resolución	WQHD 2560 x 1440
	Ratio de contraste	1000 : 1

Ángulos de visión	178° / 178°
Área de visualización	27" Wide
Tiempo de respuesta	6ms
Gama de colores	10 bit, 1.07 billion
Brillo	350 cd/m2
Relación de contraste dinámico	20,000,000 : 1

COLORS

Black

Dimensiones

Físicas sin la base	642.7 x 381.7 x 56mm
Embalaje	739 x 576 x 259mm
Físicas con la base	642.7 x 469.7 x 347.8mm

Normativas

CB, WEEE, RoHS, Windows, UL, cUL, FCC-B, TUV-S(ULAR), NOM, EPEAT GOLD, Energy Star, GS, CE, ErP, REACH,CU, UkrSEPRO

CONTENIDO DE LA CAJA

Power Cable *1, DP Cable, DVI Cable, HDMI Cable, USB 3.0 Cable, Quick Start Guide *1, ViewSonic CD Wizard *1

Conectividad

Salida de vídeo	DisplayPort x 1
USB	USB 3.0 x 4
Entrada de vídeo	DVI x 1
	HDMI x 1
	Mini DisplayPort x 1

Alimentación

Consumo	Standard: 64.8W
Modo Eco	Optimize: 53.9W / Conserve: 40.7W

VESA® MONTAJE

100mm * 100mm

ERGONOMÍA

Inclinación	23° to -5°
Giratoria	60° right, 60° left
Ajuste de altura	0-150mm
Pivote	90°

Peso

Neto con base	8.54Kg
Neto sin base	5.54Kg
Bruto	11.74Kg

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.