

23" 16:9 Full HD Multimedia Display with wide viewing angle

VX2370Smh-LED

58cm / 23" Full HD 1080p LED Display



Overview

Full HD Borderless Display for Ultimate Entertainment

Designed with frameless bezel and touch controls, the ViewSonic VX2370Smh-LED sets a new milestone in display design delivering a cutting-edge, trendy quality to any living space or office. With Full HD 1080P, 30,000,000:1 dynamic contrast ratio, up to 7ms response time and SuperClear™ IPS, the VX2370Smh-LED brings vivid and sharp images to life with remarkable image quality and wide viewing angles. An HDMI port provides high resolution image/video connection with devices for gaming, graphics, and HD entertainment. A pair of speakers powered by SRS Premium Sound® delivers true-to nature high-end stereo, complementing this superior display perfectly for a wide variety of applications.

Features

For more product information, visit us at www.viewsoniceurope.com


All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.





Frameless and slim bezel with touch control

The frameless bezel on VX2370Smh-LED features an elegant and glossy finish to complement any home or office. The sleek and seamless touch function key provides a simple and intuitive touch experience, making screen adjustment easy and fast. The VX2370Smh-LED is a stylish addition to any home or office.



Full HD 1080p Resolution

The brilliant pixel quality of the 1920x1080 Full HD panel reproduces refined and natural image quality to meet the requirements of computer applications, graphics, gaming and HD video entertainment. The VX2370Smh-LED is an ideal fit for home entertainment and office works.



SRS Premium Sound® surrounding stereo

Dual 1.5-Watt speakers, powered by SRS Premium Sound® surround stereo delivers audiophile quality sound for anyone seeking a supreme audio performance and gaming experience. SRS Premium Sound® produces deep rich bass and crisp highs with no requirement to connect external speakers, maximizing desk space to let the all-immersive audio journey begin.



HDMI Inputs

The HDMI Interface on the VX2370Smh-LED allows flawless streaming with a variety of media devices, including computers, set-top boxes, Blu-ray disc players, HD digital cameras, gaming consoles and many others. HDMI enables image/video streaming to be delivered in a true high definition experience.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.





SuperClear™ IPS wide-viewing angles

Industry-leading SuperClear™ IPS Wide Viewing Angles technology delivers 178° viewing angles from the horizontal and vertical with an accurate, vibrant, and dynamic image. Brightness levels are consistent across all viewing angles with no distortion or decay.



Dynamic Contrast Ratio

The VX2370Smh-LED delivers a range of high definition colours from grayscale, darker blacks and brighter whites, whilst displaying the finest details with a Dynamic Contrast ratio of 30,000,000:1 and a Contrast Ratio of 1,000:1.

Technical Specifications

LCD	Display Area	58cm (23") wide
	Optimum Resolution	1920 x 1080
	Contrast Ratio	1,000:1 (typ.)
	Brightness	250 cd / m ²
	Viewing Angles	178° horizontal / 178° vertical (typ.)
	Response Time	7ms GtG.
	Panel Surface	Anti-glare Type, 3H Hardness
	Pixel Clock	0.265 mm x 0.265 mm
	Dynamic Contrast Ratio	30,000,000:1
	Backlight	White-light LED
	Backlight Life	30,000 hours (min.)

INPUT

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.



	Frequency	Fh = 24 ~ 83 kHz ; Fv = 50 ~ 76 Hz
	Sync	Separate Sync / Composite Sync / SOG
	Analogue	RGB analogue (75 Ω, 0.7 / 1.0 Vp-p)
	Digital	DVI / HDMI (TMDS, 100 Ω)
COMPATIBILITY	PC	VGA up to 1920 x 1080 non-interlaced
	Mac®	MAC up to 1920 x 1080
CONNECTOR	Video	Analogue: D-sub x 1 Digital: DVI- D x 1, HDMI 1.3 x 1
	Audio Input	3.5mm Mini Phone Jack Audio (Green) x 1
	Audio Out	3.5mm Mini Phone Jack Audio (Blue) x 1
	Power	External Power Adapter
AUDIO	Speaker	1.5W x 2
ERGONOMICS	Tilt	20° ~ -5°
POWER	Voltage	AC 100 - 240V (universal); 50 / 60 Hz
	Consumption	27W (typ.)
	Save mode	<0.5W
OPERATING CONDITIONS	Temperature	32° F to 104° F (0° C to 40° C)
	Humidity	20% to 90% (no condensation)
DIMENSIONS	Physical With Stand	532 x 409 x 180mm (20.94" x 16.10" x 7.08")(W x H x D)
WEIGHT	Net With Stand	3.9 Kg (8.59 lbs)
REGULATIONS		CE, CB, BSMI, SASO, C-tick, UL/cUL, FCC-B (including ICES003), TUV-S, UL CoC, Mexico Energy, GOSTR/Hygienic, UkrSEPRO, Erp, CCC, ChinaEnergy, Energy Star, EPEAT Silver, WEEE, RoHS, SVHC list

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

