

# 19" Widescreen LED Display

**ViewSonic**<sup>®</sup>  
See the difference™ 

**VA1917a**




ViewSonic's new VA1917a is an environmentally friendly 19" (18.5" viewable) widescreen display that features LED backlight, providing energy saving up to 40%. With 1366 x 768 HD resolution, 5ms response time and VESA mountable design, the VA1917a is ideal for both home and office. The display's built-in colour management ensures the most accurate white level for image rendering, allowing users to match different colour temperature settings to create more comfortable working conditions. In addition, energy-saving ECO-mode reduces cost of ownership, making the VA1917a the best choice for both corporate and education customers as well.

---

# 16:9 Widescreen optimised for HD Content

VA1917a is a 16:9 widescreen LED display that features 1366x768 native resolution, and is designed for all types of office works. With this widescreen aspect ratio, it is also the perfect display for multitasking and improving productivity in the workplace.



## Eco-Mode Conserves More Energy

ViewSonic's proprietary Eco-mode feature is built into all LED displays, offering options to select "Optimise(75%)" or "Conserve (50%)" settings that save up to 25% power. Especially in low ambient light, Eco-mode adjusts brightness and improves visibility, while reducing eye fatigue and prolonging the display's lamp life. With Eco-mode, both lamp replacement and energy expenditures are reduced.



## Planet-Friendly Mercury-Free LED Backlighting

LED backlighting enhances display performance, delivers an outstanding colour range, and adjusts contrast ratios for remarkably detailed images. ViewSonic's eco-friendly, mercury-free LED backlighting further conserves up to 25%\* more energy when compared to conventional displays. In addition, LED backlighting provides for a slim, lightweight profile that saves desktop space.



## **Better colour Accuracy with colour Management**

ViewSonic's built-in colour management system maintains strict standards for colour temperature and white balance correction to ensure the most accurate white level for image rendering. Different OSD colour settings (Bluish, Cool, Native, Warm) allow you to match different colour temperature settings.



## VESA-Mountable

The ViewSonic VA1917a features a 100 x 100mm VESA-mountable design that allows you to mount the display on a monitor stand or on a wall, depending on your specific needs. You can easily unscrew the base, and then mount the display on its new stand or wall mount.



Install it on the wall mount with 100mm x 100mm VESA bracket.

Unscrew and detach the base

## Technical Specifications

<b>LCD</b>	Type	18.5" Wide colour a-Si TFT Active Matrix LCD
	Display Area (inch)	409.8 x 230.4 mm
	Optimum Resolution	1366 x 768
	Brightness (nits)	200 cd/m2
	Contrast Ratio	600:1 (typ)
	Viewing Angles	90° / 65°
	Response Time	Tr+Tf: 5 ms (typ)
	Panel Surface	Anti-Glare type, Hardness 3H
	Colours	16.7M
	Backlight	WLED light bar
	Backlight Life	30,000 hrs
<b>Compatibility</b>	PC	VGA up to 1366 x 768 Non Interlaced
	Mac	Power Mac up to 1366 x 768
<b>Connector</b>	Power	Internal Power Board , 3-pin plug (CEE22) x1
	Video	VGA x1
<b>Wall Mount</b>	VESA®	100 x 100mm
<b>INPUT SIGNAL</b>	Sync	Separate Sync

	Analog Frequency	RGB Analog (75 ohms, 0.7 / 1.0 Vp-p) Fh = 24 ~82 kHz ; Fv = 50 ~75 Hz
<b>POWER</b>	Optimize Conserve Voltage Consumption	15W (typ) 12W (typ) AC 100-240V (Universal); 50/60 Hz 18W (typ)
<b>ERGONOMICS</b>	Tilt	20° ~ -5°
<b>OPERATING CONDITIONS</b>	Temperature (°C) Humidity	0°C to 40°C 10% to 90% (no condensation)
<b>DIMENSIONS</b>	Packaging (mm) Physical with stand (mm) Physical without stand (mm)	493 x 348 x 110 mm 442.40 x 332.87 x 176 mm 442.40 x 271.77 x 46.20 mm
<b>WEIGHT</b>	Gross (kg) Net with stand (kg) Net without stand (kg)	2.9 kg 2.2 kg 2.0 kg
<b>REGULATIONS</b>		CU, UkrSEPRO + DoC,Erp, REACH SVHC List & DoC
<b>RECYCLE / DISPOSAL</b>		Please dispose of in accordance with local, state or federal laws
<b>WARRANTY</b>		*Warranty offered may differ from market to market
<b>PACKAGE CONTENTS</b>		LCD Display Power Cable D-Sub Video Cable Quick Start Guide *Actual content may differ from market to market

## ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at [www.viewsoniceurope.com](http://www.viewsoniceurope.com)

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective

companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.