

Wireless Group Presentation Solution with AutoProject™



**ViewSync
ViewSync3**




The ViewSync 3, wireless presentation gateway with 2 bundled AutoProject™ Keys (USB dongles), featuring AutoProject™ - USB-plug-in for instant projection, can powerfully transmit 1080p multimedia content from over 50 notebooks simultaneously. Boasting its auto-detect concurrent mode - WiFi dual band switch (2.4GHz/5GHz), Screen Mirroring, Media streaming(DLNA), and Moderator, Annotator, Extended Screen, as well as USB back channel function (mouse or keyboard), the ViewSync 3 is full of interaction. The PC-less projection, smart remote control, and ViewMedia App also enhance presentation flexibility.




AutoProject™ KeyUSB plug for instant wireless presentations

Innovative AutoProject™ Key USB plug for instant wireless presentations The ViewSonic ViewSync 3 wireless presentation gateway offers a convenient AutoProject™ function for USB wireless presentations. Whether in meeting rooms or classrooms, presenters can easily plug-n-project from their own laptops via a wireless auto-projection USB dongle, instead of using a VGA cable or traditional wireless presentation setups, decreasing setup time and cutting back on monotonous procedures.



Moderator Mode

With bundled presentation software, it helps the presentation host to enhance interaction capabilities in large-scale meeting/class environments. Moderator mode allows 50+ simultaneous connections from attendees' PCs or NBs. The host can preview all connected screens before broadcasting, and can choose any linked screen to present. In seconds, the chosen presenter's ideas can be shared with all.



Leave wireless switch setup problems behind

Concurrent ModeAuto-switch connection for laptop or mobile devices

The ViewSync 3 supports laptop wireless 2.4G / 5GHz projection, Screen Mirroring and DLNA Media Streaming from your tablet or smartphone. It can support any of the above connection protocols and devices without a manual switch. Users can quickly connect to the ViewSync 3.



2.4G / 5GHz dual band switchStable wireless

2.4GHz is a very popular bandwidth for most wireless devices, which can easily cause transmission lag. The advantage of a 5GHz network is that it can have twice the link speed, which increases the quality for multi-media broadcasting. WiFi Dual Band support utilizes flexible usage, by providing either 2.4G or 5GHz network.




Built-in USB reader for PC-less projection for multimedia content

Jump start a presentation directly from a USB flash drive without waiting for your PC to boot up. A practical, user-centric design enables your projector to broadcast video, music and photos instantly.



Interactive real-time annotations

The bundled software allows real-time annotations on content displayed from Windows or Mac laptops. These changes can be saved and updated instantly, allowing the presenter and laptop-connected audience simple, yet effective interaction.



Allow 2 persons to mark the presentation

Enhance the convenience of content interaction & control

USB back control Remote control for interaction or assistance

The ViewSync 3 provides a USB back control function, allowing users to wirelessly connect and control a mouse or keyboard remotely. When a presenter holds a meeting/class, an assistant can help control the mouse or keyboard remotely at the same time.




Allow 2 persons to control the presentation

Enhance the convenience of content control

Smart remote control Hotkeys and wireless presenter functions

Finding a function through the on-screen menu can be time-consuming. To make things easier, this remote control contains hotkeys for critical, major functions. The major functions include Moderator, USB reader, and wireless presenter functions (mouse control, page up-n-down, screen freeze, etc.).



ViewMedia (Android, iOS)APP

Real-time multi-media sharing

With the ViewMedia App for DLNA media streaming, even mobile devices can broadcast images, music, and video to the projector or TV wirelessly. Easy network connectivity saves setup and processing time by enabling content sharing from multiple devices, making presentations and setups smoother and more efficient.



Transmission of 1080p multimedia content

The finest picture quality

With a built-in HDMI port, the ViewSync 3 receives and transmits Full HD 1920 x 1080 images for the sharpest and clearest image quality. It delivers exceptional details and astonishing clarity for the best viewing experience.



Technical Specifications

WIRED NETWORK	Interface	RJ-45 Connector (10/100Mbps)
WIRELESS NETWORK	Interface	Built-in 802.11 a/b/g/n 2T2R
	Frequency Band	2.4GHz(2.312~2.472GHz, 2.484GHz)/5G(5.18~5.825GHz) Dual Band
	Data transfer speeds	up to 150Mbps
WIRELESS SECURITY	Security/Encryption	WPA/WPA2, WPA-PSK, WPA2-PSK
VIDEO OUTPUT	Support Output Resolution	HDMI: 1080P, 720P, 480P VGA: 800x600□1024x768□1280x800□1280x1024□1366x768
CONNECTOR	HDMI	1
	RGB	1
	Network	RJ-45(10/100M), Wireless(802.11a/b/g/n)2.4G/5GHz
	USB Type A	1
POWER	AC Adapter Consumption	100~240VAC @ 50/60Hz, 5V/1A output 5W (Maximum), 0.5W (Standby)
CONTROLS	Setting	Control by software
	OSD Language	English, French, German, Spanish, Italian, Dutch, Simplified Chinese, Russian, Traditional Chinese
	Web Setup Language	English
OPERATING CONDITIONS	Temperature (°F / °C)	23°F to 113°F (-5°C to 45°C)
DIMENSIONS	Physical	7.54" (W) x 1.27" (H) x 4.04" (D) / 191.5 mm (W) x 32.25 mm (H) x 102.6 mm (D)
	Packaging	242.17 mm (W) x 62.85 mm (H) x 216.35 mm (D) / 9.53" (W) x 2.47" (H) x 8.52" (D)
WEIGHT	Net	0.43 lb / 240 g
	Gross	1.54 lb / 700 g
REGULATIONS	Safety/EMC	FCC-B, CE, ErP, RoHS
	Wi-Fi	FCC-ID, CE R&TTE, NCC, EAC
USER GUIDE	Language	English

WARRANTY

**Warranty offered may differ from market to market

What's in the box?

The Top Level Assembly shall consist of :

1. Wireless Presentation Gateway ViewSync 3
2. Universal Power Adapter x 1 (with US, EU, UK head for VSE/VSA,, VSI□ add addition AU head.), (China type for VSCN)
3. Antenna x 2 (attached)
4. Quick Start Guide
5. AutoProject Key (USB drive) x2
6. Remote control with battery

*Actual content may differ from market to market

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.