

WE'RE ALL
UNITED
BY PLAY



ViewSonic® | **GAMING**

ViewSonic® | GAMING

We're here for the gamers. From the ones who spend months building their dream rigs to those simply looking to unwind after a long week. ViewSonic GAMING has got you covered - whether you're after the most advanced specs for a competitive edge, or looking to balance your gaming with work and entertainment.

No matter how you game, we're all United by Play.



Scan here to learn more

Elevate Your Game

OPTIMIZED FOR ESPORTS

Certified for their ultra-smooth visuals, ViewSonic GAMING monitors render even the most fast-paced gameplay in stunning detail, free from tearing and blurring. With blazing-fast refresh rates and rapid response times, they minimize input lag to give you the decisive edge needed for victory.



EXCEPTIONAL VISUALS

Immerse yourself in virtual worlds exactly as their creators envisioned them. With high resolutions, wide color gamut coverage, and HDR support, these monitors breathe life into your favorite games, showcasing crystal-clear detail, vibrant colors, and breathtaking contrast.



EYE STRAIN PROTECTION

Equipped with blue light filter and flicker-free technology, ViewSonic GAMING monitors shield you from eye strain and headaches. This ensures you stay focused and immersed in those nail-biting marathon gaming sessions, so you can conquer the battlefield without compromising your vision.



Designed For Victory


ERGONOMIC DESIGN

Combining form and function, ViewSonic GAMING monitors offer exceptional comfort no matter your gaming set-up. With adjustable stand and remote control options available, you can fine-tune height adjustments to find your perfect viewing angle and transition between inputs and game modes with ease.




DIVERSE FORM FACTORS

Experience wrap around immersion with our curved gaming monitors, dominate enemies with expansive ultrawide views, or take your skills on the road with our portable options. No matter your playstyle, ViewSonic GAMING monitors let you enjoy exceptional gaming without sacrificing quality.



VERSATILE CONNECTIVITY

Engineered for smooth connectivity, these monitors seamlessly connect to your PC, consoles, and peripherals via extensive connectivity options, including HDMI, DisplayPort, and USB-C ports. With their intuitive interface, switching inputs from epic battles to number crunching is effortless.



THE VX28 SERIES

MAKE TIME TO PLAY

You need to work hard, but there's more to life than just that. With the rare triple certification of AMD FreeSync Premium, VESA Adaptive Sync, and VESA ClearMR technology, you'll gain an edge over the competition. Experience immersive anti-tearing and anti-blur capabilities, providing you with lag-free action and sharp visuals, even in the most fast-paced games.



THE VX79 SERIES

BREAK THROUGH YOUR LIMITS

Reach new gaming heights with the VX79 Series. Experience seamless performance as you conquer your favorite titles, brought to life on an expansive display with pixel-perfect accuracy and stunning visuals from every angle.



Specifications

COMING SOON



	XG272-2K-OLED	XG2431	VX3418-2KPC	VX3219-PC-MHD
Response Time/ Refresh Rate	≥0.01ms (Pixel) / 240Hz	<0.5ms (MPRT) / 240Hz	1ms (MPRT) / 180Hz	1ms (MPRT) / 240Hz
Size/Panel Type	27" OLED Technology	24" IPS Technology	34" VA Technology	34" VA Technology
G-Sync/FreeSync	FreeSync Premium, G-Sync compatible	FreeSync Premium	FreeSync Premium	FreeSync Premium
Resolution	2560 x 1440	1920 x 1080	3440 x 1440	1920 x 1080
Brightness	450 cd/m ² (typ)	350 cd/m ² (typ)	300 cd/m ² (typ)	300 cd/m ² (typ)
Color Space Support	10 bit true	8 bit true	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	150,000:1 (typ)	1,000:1 (typ)	4,000:1 (typ)	3,000:1 (typ)
Connectivity	USB 3.2 Type A Down Stream: 3 USB 3.2 Type B Up Stream: 1 USB 3.2 Type C DisplayPort Alt mode only : 1 (15W power charger) 3.5mm Audio Out: 1 HDMI 2.1: 2 DisplayPort: 2	USB 3.2 Type A Down Stream: 2 USB 3.2 Type B Up Stream: 1 3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 2	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1
Internal Speakers	3W x 2	3W x 2	5W x 2	2W x 2
Consumption (Max)	55W	52W	42W	40W
Eco Mode (Conserve/Optimized)	30W / 34W	16W / 20W	24W / 30W	25W / 31W
Curve/Flat	Flat	Flat	Curve	Curve
Ergonomics	Height Adjust: 120mm Swivel: 40° Tilt: -5° / 20° Pivot: 90° / 90°	Height Adjust: 120mm Swivel: 90° Tilt: -5° / 15° Pivot: 90° / 0°	Height Adjust: 80mm Tilt: -5° / 10°	Tilt: -5° / 20°
HDR	Yes	Yes	Yes	Yes
Key Features	240Hz Refresh Rate OLED Panel Up to 0.01ms (Pixel) Response Time	FreeSync™ Premium <0.5ms (MPRT) Response Time	180Hz Refresh Rate FreeSync™ Premium 1500R Curved Screen	240Hz Refresh Rate FreeSync™ Premium 1500R Curved Screen

Specifications



	VX3219-2K-PRO-2	VX3218-PC-MHD	VX3218C-2K	VX2779-HD-PRO
Response Time/ Refresh Rate	0.43ms (MPRT) / 165Hz	1ms (MPRT) / 180Hz	1ms (MPRT) / 180Hz	1ms (MPRT) / 180Hz
Size/Panel Type	32" IPS Technology	32" VA Technology	32" VA Technology	27" IPS Technology
G-Sync/FreeSync	FreeSync Premium	FreeSync Premium	FreeSync Premium	FreeSync
Resolution	2560 x 1440	1920 x 1080	2560 x 1440	1920 x 1080
Brightness	250 cd/m ² (typ)	300 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)
Color Space Support	10 bit (8 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	1,200:1 (typ)	3,000:1 (typ)	3,500:1 (typ)	1,000:1 (typ)
Connectivity	3.5mm Audio Out: 1 HDMI 2.0 (with HDCP 2.2): 2 DisplayPort: 1 Power in: DC Socket (Center Positive)	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1
Internal Speakers	N/A	2W x 2	2W x 2	N/A
Consumption (Max)	55W	38W	43W	34W
Eco Mode (Conserve/Optimized)	37W / 45W	21W / 27W	23W / 28W	24W / 28W
Curve/Flat	Flat	Curve	Curve	Flat
Ergonomics	Tilt (Forward/Back): -5° / 20°	Tilt: -5° / 20°	Tilt : -5° / 20°	Tilt : -5° / 20°
HDR	Yes	Yes	Yes	Yes
Key Features	165Hz Refresh Rate FreeSync Premium 0.43ms (MPRT) Response Time	180Hz Refresh Rate FreeSync™ Premium 1500R Curved screen	180Hz Refresh Rate FreeSync™ Premium 1500R Curved Screen	180Hz Refresh Rate 1ms (MPRT) Response Time

Specifications

Specifications



	VX2758A-2K-PRO-3	VX2758A-2K-PRO-2	VX2728J-2K	VX2728J
Response Time/ Refresh Rate	1ms (MPRT) / 240Hz	1ms (MPRT) / 185Hz	0.5ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz
Size/Panel Type	27" IPS Technology	27" IPS Technology	27" IPS Technology	27" IPS Technology
G-Sync/FreeSync	FreeSync for HDMI; FreeSync Premium for DP	FreeSync	FreeSync Premium, AdaptiveSync	FreeSync Premium, AdaptiveSync
Resolution	2560 x 1440	2560 x 1440	2560 x 1440	1920 x 1080
Brightness	250 cd/m ² (typ)	300 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)
Color Space Support	10 bit (8 bit + FRC)	10 bit (8 bit + FRC)	10 bit (8 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	1,000:1 (typ)	1,000:1 (typ)	1,000:1 (typ)	1,000:1 (typ)
Connectivity	3.5mm Audio Out : 1 HDMI 2.1 : 2 DisplayPort : 1	3.5mm Audio Out: 1 HDMI 2.0 (with HDCP 2.2): 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1
Internal Speakers	N/A	N/A	2W x 2	2W x 2
Consumption (Max)	30W	42W	35W	33W
Eco Mode (Conserve/Optimized)	19W / 24W	24W / 32W	22W / 26W	20W / 24W
Curve/Flat	Flat	Flat	Flat	Flat
Ergonomics	Tilt: -5° / 20°	Height Adjust: 150mm Swivel: 90° Tilt (Forward/Back): -5° / 20° Pivot (Right/Left): 90° / 90°	Height Adjust: 130mm Swivel: 30° Tilt (Forward/Back): -5° / 20° Pivot (Right/Left): 90° / 0°	Height Adjust: 130mm Swivel: 30° Tilt : -5° / 20° Pivot: 90° / 0°
HDR	Yes	Yes	Yes	Yes
Key Features	240Hz Refresh Rate 1ms (MPRT) Response Time 2K QHD Resolution	185Hz Refresh rate 1ms (MPRT) Response Time	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium

	VX2728-2K	VX2728	VX2719-PC-MHD	VX2718-P-MHD
Response Time/ Refresh Rate	0.5ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz	1ms (MPRT) / 240Hz	1ms (MPRT) / 180Hz
Size/Panel Type	27" IPS Technology	27" IPS Technology	27" VA Technology	27" VA Technology
G-Sync/FreeSync	FreeSync Premium, AdaptiveSync	FreeSync Premium, AdaptiveSync	FreeSync Premium	FreeSync
Resolution	2560 x 1440	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)
Color Space Support	10 bit (8 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	1,000:1 (typ)	3,000:1 (typ)	3,000:1 (typ)	3,000:1 (typ)
Connectivity	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1
Internal Speakers	2W x 2	2W x 2	2W x 2	2W x 2
Consumption (Max)	35W	33W	35W	35W
Eco Mode (Conserve/Optimized)	22W / 26W	20W / 24W	26W / 28W	24W / 26W
Curve/Flat	Flat	Flat	Curve	Flat
Ergonomics	Tilt (Forward/Back): -5° / 20°	Tilt (Forward/Back): -5° / 20°	Tilt : -5° / 20°	Tilt: -5° / 25°
HDR	Yes	Yes	Yes	Yes
Key Features	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium AdaptiveSync	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium AdaptiveSync	240Hz refresh rate 1ms (MPRT) Response Time 1500R Curved Screen	180Hz refresh rate 1ms (MPRT) Response Time FreeSync

Specifications



	VX2718-PC-MHD	VX2718-2KPC-MHD	VX2528J	VX2528
Response Time/ Refresh Rate	1ms (MPRT) / 180Hz	1ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz
Size/Panel Type	27" VA Technology	27" VA Technology	25" IPS Technology	25" IPS Technology
G-Sync/FreeSync	FreeSync Premium	FreeSync Premium	FreeSync	FreeSync
Resolution	1920 x 1080	2560 x 1440	1920 x 1080	1920 x 1080
Brightness	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)
Color Space Support	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	3,000:1 (typ)	5,000:1 (typ)	1,000:1 (typ)	1,000:1 (typ)
Connectivity	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 2.0: 2 DisplayPort: 1
Internal Speakers	2W x 2	2W x 2	2W x 2	2W x 2
Consumption (Max)	27W	31W	17W	17W
Eco Mode (Conserve/Optimized)	15W / 20W	19W / 22W	12W / 14W	12W / 14W
Curve/Flat	Curve	Curve	Flat	Flat
Ergonomics	Tilt : -5° / 20°	Tilt : -5° / 20°	Height Adjust: 100mm Swivel: 30° Tilt (Forward/Back): -5° / 17° Pivot (Right/Left): 90° / 90°	Tilt (Forward/Back): -5° / 17°
HDR	Yes	Yes	Yes	Yes
Key Features	180Hz Refresh Rate 1ms (MPRT) Response Time FreeSync Premium	180Hz Refresh Rate 1ms (MPRT) Response Time 1500R Curved screen	180Hz Refresh Rate 0.5ms (MPRT) Response Time	180Hz Refresh Rate 0.5ms (MPRT) Response Time

Specifications



	VX2479-HD-PRO	VX2428J	VX2428	VX2418-P-MHD
Response Time/ Refresh Rate	1ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz	0.5ms (MPRT) / 180Hz	1ms (MPRT) / 180Hz
Size/Panel Type	24" IPS Technology	24" IPS Technology	24" IPS Technology	24" VA Technology
G-Sync/FreeSync	FreeSync	FreeSync Premium, AdaptiveSync	FreeSync Premium, AdaptiveSync	FreeSync Premium
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)	250 cd/m ² (typ)
Color Space Support	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)	8 bit (6 bit + FRC)
Static Contrast Ratio	1,000:1 (typ)	1,000:1 (typ)	1,000:1 (typ)	4,000:1 (typ)
Connectivity	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1	3.5mm Audio Out: 1 HDMI 1.4: 2 DisplayPort: 1
Internal Speakers	N/A	2W x 2	2W x 2	2W x 2
Consumption (Max)	28W	25W	25W	27W
Eco Mode (Conserve/Optimized)	17W / 20W	17W / 20W	17W / 20W	17W / 21W
Curve/Flat	Flat	Flat	Flat	Flat
Ergonomics	Tilt: -5° / 20°	Height Adjust: 130mm Swivel: 30° Tilt : -5° / 20° Pivot: 90° / 0°	Tilt: -5° / 20°	Tilt (Forward/Back): -5° / 20°
HDR	Yes	Yes	Yes	Yes
Key Features	180Hz Refresh rate SuperClear® IPS panel 1ms (MPRT) Response Time	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium	180Hz Refresh Rate 0.5ms (MPRT) Response Time FreeSync Premium	180Hz Refresh Rate 1ms (MPRT) Response Time FreeSync Premium



ViewSonic®
GAMING

ViewSonic Asia Pacific Sales Operations

ViewSonic Taipei Head Office
9F, No. 192, Lien Chen Road
Chung Ho 235 Taipei Taiwan
Tel: 011-886-2-2246-3456 (operator)
Fax: 011-886-2-8242-3666 (9th fl. / exec. office)

ViewSonic Europe Sales Operations

ViewSonic Europe Ltd.
Miles Yard
10 Miles Street
London, SWB 1GX
United Kingdom
Tel: +44 (0) 207 382 8250
Fax: + 44 (0) 207 382 8251

Copyright:

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All specifications are subject to change without written notice. Images are for illustrative purpose only. Offers and programs may vary by country. Please contact your local ViewSonic office for more information.